



INNOVATIVE MARINE HARDWARE

Adventure Ready Equipment

Quality gear for every adventure.



Wholesale To The Trade

ORDER AND INFO HOTLINE: 502-228-8881

www.bestqualitymarine.com



ANTENNA MOUNT

from page 1
to page 3



FLAG POLE

from page 4
to page 9



BASE RAIL FITTING

from page 10
to page 11



AWNING ACCESSORIES

from page 12
to page 16

RELEASE PIN

page 17



STEERING WHEEL

from page 18
to page 24



LADDER

from page 25
to page 37



HANDRAIL

from page 38
to page 42






DRINK HOLDER

from page 43
to page 45



THRU-HULL/ VENTILATION-EXHAUST

from page 46
to page 63



LIFT HANDLE

from page 64
to page 67




HINGES

from page 68
to page 72



LID BUCKLE, DOOR BOLT, DOOR LOCK



from page 72
to page 75



BOAT HOOK & PADDLE



from page 76
to page 79



ANCHOR ACCESSORIES



from page 80
to page 90



CLEAT/U-BOLT/SKI-TOW



from page 91
to page 99



HATCH HOLDER/BRACKET



from page 100
to page 104



ROD HOLDER

from page 105
to page 109



FENDER HOLDER

from page 110
to page 111



LAMP SERIES

from page 112
to page 135



ELECTRICAL ACCESSORIES



from page 136
to page 146



MISCELLANEOUS

from page 147
to page 161



OTHER MARINE EQUIPMENT



from page 162
to page 181

ANTENNA MOUNT

HEAVY DUTY ANTENNA BASE

1



High-Polished cast 316 stainless steel
Base dimensions: 2-3/8" x 3-3/4"
Overall Height: 4" 1"-14 male thread
[P/N A020100](#)

ANTENNA RAIL MOUNT



High-Polished cast 316 stainless steel
fits tubing 7/8" & 1" 1"-14 male thread
[P/N A030100](#)

FIXED ANTENNA BASE, WITH 1"-14 THREAD



Made of 304 Stainless Steel

P/N	length	Base Dia	Tube. O D
A060100	40	φ 77	φ 25.4
A060200	105	φ 77	φ 25.4

FIXED ANTENNA BASE WITH 1"-14 THREAD - HEAVY DUTY



Made of 316 Stainless Steel

P/N	length	Base Dia	Tube. O D
A070100	40	φ 77	φ 25.4
A070200	105	φ 77	φ 25.4

RAIL MOUNT ANTENNA BRACKET,WITH 1"-14 THREAD

Made of 304 Stainless Steel

P/N	Fits Tubing
A080100	7/8" TO 1"



2

FIXED ANTENNA BASE

This antenna base will accept any standard antenna with 1"-14 threads

P/N	Base	Height	M ' TL
A090100	2-13/16"	1-5/8"	Nylon



TUBE MOUNT ANTENNA BASE, WITH 1"-14 THREAD

Made of 316Stainless Steel

P/N	Length	Fits	Fastener
A100100	2"	1"	1/4"-28UNC



ANTENNA MOUNT EXTENSION WITH 1"-14 THREAD

Made of 304 Stainless Steel

P/N	length	Tube. O D
A110100	6"	1-1/16"
A110200	12"	1-1/16"
A110300	24"	1-1/16"



RAIL MOUNT ANTENNA BRACKET WITH 1"-14 THREAD

3



Made of 304 Stainless Steel

P/N	Fits Tubing
A120100	7/8" TO 1"

ANTENNA BASE



Nylon Deck Mount Fits 1"
Tubing or 7/8" with insert

P/N A040100

ANTENNA RATCHET MOUNT



Material: High Impact White Nylon

P/N A050100

FLAG POLE

PONTOON FLAG POLE SOCKET

4



Material of 6063 Aluminum alloy
aluminum tube + nylon plastic

P/N	Dia	Length	Description
B010100	7/8"	24"	Flagpole + flag
B010200	7/8"	24"	Flagpole

FLAG POLE BASE 10°

Made of 316 Stainless Steel

P/N	Dia	Base
B260200	1"	φ 2.6"



STANCHION



Made of 316 Stainless Steel

P/N	Tube	Length
B011025	1"	24"

STANCHION



Made of 304 Stainless Steel

P/N	Tube	Length
B011120	1"	20.3"
B011224	1"	24"

STANCHION



Made of 304 Stainless Steel

P/N	Tube	Length
B010450	1"	19-11/16"
B010561	1"	24"
B010666	1"	26"

STANCHION SOCKET



Made of 304 Stainless Steel

P/N	Tube	Degree	Base
B011590	1"	90°	3"*3.5"
B011684	1"	84°	3"*3.5"

RAIL MOUNTED FLAG STAFF

Made of 304 Stainless Steel

P/N	Dia	Length	Description
B010212Q	1/2"	14"	Flagpole + flag
B010212	1/2"	14"	Flagpole



RAIL MOUNTED FLAG STAFF

Made of 304 Stainless Steel

P/N	Dia	Length	Description
B010314Q	1/2"	14"	Flagpole + flag
B010314	1/2"	14"	Flagpole



FLAG

Waterproof material ,The embroidery

P/N	Width	Length
B180100	13"	20"
B180200	12"	19"



STANCHION

Made of 304 Stainless Steel

P/N	Tube	Length
B010750	1"	19-11/16"
B010966	1"	26"
B010861	1"	24"



ROUND FLAG POLE BASE W/ SECURING



Made of 316 Stainless Steel

P/N	Tube OD	Length	Angle
B330190	1"	17.7"	90°
B330245	1"	17.7"	45°

RECTANGULAR FLAG POLE BASE W/ SECURING




Made of 316 Stainless Steel

P/N	Tube OD	Length	Angle	Base
B330390	1"	17.7"	90°	3.2"*1.7"
B330445	1"	17.7"	45°	3.2"*1.7"

FLAG POLE BASE



Made of 316 Stainless Steel



P/N	Dia	A	B	C	D
B260100	0.7"	0.7"	1.2"	3.3"	2"

STANCHION SOCKET



Made of 304 Stainless Steel

P/N	Tube	Degree	Base
B011390	1"	90°	2-1/2"*3-1/2"
B011484	1"	84°	2-1/2"*3-1/2"

STANCHION

Made of 316 Stainless Steel

P/N	Tube
B011725	1"



RAIL MOUNT PENNANT STAFF

Made of 304 Stainless Steel

P/N	Dia	Length	Rail	Description
B220100Q	1/2"	18"	1"	Flagpole + flag
B220100	1/2"	18"	1"	Flagpole
B240100	1/2"	18"	1"	Independent of the rod



FLAG POLE & BASE REMOVABLE

Made of 304 Stainless Steel

P/N	Dia	Length	Description
B250100Q	7/8"	24"	Flagpole + flag
B250100	7/8"	24"	Flagpole



STAINLESS STEEL FLAG POLE

Made of 304 Stainless Steel

P/N	Dia	Length
B330205	1"	19.7"
B330110	1"	39.4"
B330306	1"	23.6"



ADJUSTABLE BASE FOR LIGHT POLE



Made of 316 Stainless Steel

P/N	Dia	Base
B190100	7/8"	2.6"*1.25"

FLAG POLE BASE 45°



Made of 316 Stainless Steel

P/N	Dia	Base
B200100	7/8"	3"*1.7"

UNIVERSAL TEE



Made of 316 stainless steel

P/N	Size
B041590	1"
B041690	7/8"

ELOW



Made of 316 stainless steel

P/N	Tube Size
B061178	7/8"
B061201	1"

BASE RAIL FITTING

ROUND BASE RAIL FITTING

Made of 316 Stainless Steel

P/N	Tube OD	Angle
B020130	7/8"	30°
B020530	1"	30°
B020490	7/8"	90°
B020360	7/8"	60°
B020245	7/8"	45°
B020760	1"	60°
B020890	1"	90°
B020645	1"	45°



10

RECTANGULAR BASE RAIL FITTING

Made of 316 Stainless Steel

P/N	Tube OD	Angle
B030130	7/8"	30°
B030330	1"	30°
B030290	7/8"	90°
B030160	7/8"	60°
B030145	7/8"	45°
B030360	1"	60°
B030490	1"	90°
B030345	1"	45°



UNIVERSAL TEE

Made of 316 Stainless Steel

P/N	Tube OD	Angle
B040160	7/8"	60°
B040490	1"	90°
B040360	1"	60°
B040290	7/8"	90°



FLAG POLE BASE

Made of 316 Stainless Steel

P/N	Tube OD	Angle
B340145	1"	45°
B340245	0.78"	45°



HANDRAIL STANCHION



Made of 316 Stainless Steel

P/N	Tube OD	Type
B050160	7/8"	Center 60°
B050650	1"	After 60°
B050460	1"	Center 60°
B050360	7/8"	Forward 60°
B050260	7/8"	After 60°
B050660	1"	Forward 60°

ELBOW



Made of 316 Stainless Steel

90 degree(includes set screws)

P/N	Tube Inch
B060190	7/8"
B060290	1"

UNIVERSAL TEE



Made of 316 Stainless Steel

P/N	Tube Inch
B210178	7/8"
B210201	1"

UNIVERSAL TEE



Made of 316 Stainless Steel

P/N	Tube Inch
B350178	7/8"
B350201	1"

AWNING ACCESSORIES

TOP CAP

Made of 316 Stainless Steel

P/N	Tube OD
B080178	7/8"
B080201	1"
B080334	3/4"
B080414	1-1/4"



12

TOP CAP

Made of 316 Stainless Steel

P/N	Tube OD
B081178	7/8"
B081201	1"
B081314	1-1/4"



TOP CAP

Made of nylon

P/N	Tube OD
B080178S	7/8"
B080201S	1"



TOP CAP

Made of nylon

P/N	Tube OD
B081178S	7/8"



JAW SLIDE



Made of 316 Stainless Steel

P/N	Tube OD
B090178	7/8"
B090201	1"
B090334	3/4"
B090414	1-1/4"

DECK HINGE



Made of 316 Stainless Steel

P/N	Base Size	Bolt Size	Description
B100190	3/4"*2-1/4"	1/4"	90Degree

DECK HINGE



Made of 316 Stainless Steel

P/N	Base Size	PIN	Description
B100290	3/4"*2-1/4"	1/4"	90Degree

DECK HINGE SIDE MOUNT



Made of 316 Stainless Steel

P/N	Base Size	Bolt Size
B110100	7/8"*2"	1/4"

INSERT EYE

Made of 316 Stainless Steel

P/N	Tube Size
B280334	3/4"



HINGE JAW SLIDE

Made of nylon

P/N	SIZE
B090178S	7/8"
B090201S	1"



HINGE JAW SLIDE

Made of 316 Stainless Steel

P/N	TUBESIZE	Bolt Size
B290100	7/8"	1/4"
B290200	1"	1/4"
B290300	1-1/4"	1/4"
B290400	1-1/2"	1/4"
B290500	2"	1/4"



INSERT EYE

Made of 316 Stainless Steel

P/N	TUBESIZE
B280178	7/8"
B280201	1"



RAIL END-IN



Made of 316 Stainless Steel

P/N	Chief	Tube Inch
B070100	5-1/2"	7/8"

JAW SLIDE



Made of 316 stainless steel

P/N	Tube OD
B091178	7/8"
B091201	1"
B091314	1-1/4"

DECK HINGE BALL STYLE TOP CAP



Made of 316 Stainless Steel

P/N	TUBE SIZE
B300178	7/8"
B300201	1"

JAW SLIDE BALL STYLE TOP CAP



Made of 316 Stainless Steel

P/N	TUBE SIZE
B310178	7/8"
B310201	1"

DECK HINGE HEAVY DUTY

Made of 316 Stainless Steel

P/N	Base Size	Screw Size
B120100	1"*2-1/8"	1/4"



DECK HINGE HEAVY DUTY

Made of 316 Stainless Steel

P/N	SIZE
B160100	Bolt
B160200	Push and pull pin
B160300	Through-hole



HINGE JAW SLIDE

Made of nylon

P/N
B100190S



REMOVABLE DECK HINGE


Made of 316 Stainless Steel

P/N	Base Size	Bolt Size
B320100	3"*1.4"	1/4"



RELEASE PIN

QUICK DISCONNECT RELEASE PIN



Made of 304 Stainless Steel

P/N	Dia	Length	Plate
B140100	0.05"	6"	Round
B140200	0.05"	6"	Oblong
B140300	0.05"	6"	Round

QUICK DISCONNECT PIN



Made of 304 Stainless Steel

P/N	Dia	Grip
B150400	1/4"	2-1/4"
B150500	1/4"	1"
B150600	5/16"	1-1/2"
B150100	3/16"	1/2"
B150200	1/4"	7/8"
B150300	1/4"	1-1/4"
B150700	3/8"	1-1/2"

QUICK DISCONNECT PIN



Made of 304 Stainless Steel

P/N	Dia	Grip	Describe
B160200	1/4"	1"	whole
B160300	1/4"	1"	Single Pin
B160400	1/4"	1"	Single Ring

QUICK DISCONNECT RELEASE PIN



Made of 304 Stainless Steel

P/N	SIZE
B130110	1/4"*1"
B130215	1/4"*5/8"
B130310	5/16"*1-1/2"
B130565	5/16"*2-7/16"

2022NEW TEAK STEERING WHEEL

TEAK STEERING WHEEL W/KNOB



Made of teak &
stainless steel 304
5-spoke Fits
standard 3/4" tapered

P/N	Diameter	Degree
C040111T	11"	25
C040213T	13-1/2"	25
C040315T	15-1/2"	25
C040411T	11"	10
C040513T	13-1/2"	10
C040615T	15-1/2"	10

TEAK STEERING WHEEL



Made of teak &
stainless steel 304
5-spoke 10 degree Fits
standard 3/4" tapered

P/N	Diameter
C020611T	11"
C020713T	13-1/2"
C020815T	15-1/2"

18

TEAK STEERING WHEEL



Made of teak &
stainless steel 304
5-spoke 25 degree Fits
standard 3/4" tapered

P/N	Diameter
C030111T	11"
C030213T	13-1/2"
C030315T	15-1/2"

WOODEN STEERING WHEEL



Made of teak
Shaft hole 1"

P/N	Diameter
C150124T	24"

TEAK SPORT WHEEL W/FINGER GRIPS & CONTROL KNOB



Made of teak &
stainless steel 304
standard 3/4" tapered

P/N	Diameter
C070315T	15-1/2" with wooden knob
C070413T	13-1/2" with wooden knob
C070115T	15-1/2"
C070213T	13-1/2"



TEAK STEERING WHEEL



Made of teak &
stainless steel 304
standard 3/4" tapered

P/N	Diameter
C080113T	13-1/2" with wooden knob
C080215T	15-1/2" with wooden knob
C080313T	13-1/2"
C080415T	15-1/2"



TEAK SPORT WHEEL W/FINGER GRIPS & CONTROL KNOB



Made of teak &
stainless steel 304
standard 3/4" tapered

P/N	Diameter
C090115T	15-1/2"
C090213T	13-1/2"
C090315T	15-1/2" with wooden knob
C090413T	13-1/2" with wooden knob



TEAK SAIL-BOAT WHEEL



Made of teak &
stainless steel 304
Shaft hole 7/8"

P/N	Size	Hole
C110124T	24"	7/8"
C110226T	26"	7/8"
C110328T	28"	7/8"
C110430T	30"	7/8"
C110736T	36 "	7/8"
C110634T	34"	7/8"
C110532T	32"	7/8"

TEAK SAIL-BOAT WHEEL

Made of teak &
stainless steel 304
Shaft hole 1"

P/N	Size	Hole
C110824T	24"	1"
C110926T	26"	1"
C111028T	28"	1"
C111130T	30"	1"
C111236T	36 "	1"
C111334T	34"	1"
C111432T	32"	1"



20

TEAK STEERING WHEEL

Made of teak &
stainless steel 316
standard 5/8" tapered

P/N	Diameter
C130145T	450mm
C130255T	550mm
C130370T	700mm



TEAK STEERING WHEEL

Made of teak &
stainless steel 316
standard 3/4" tapered

P/N	Diameter
C130445T	450mm
C130555T	550mm
C130670T	700mm



STEERING WHEEL

STEERING WHEEL W/KNOB

21



Made of 304 Stainless Steel
5-spoke 25 degree Fits
standard 3/4' tapered
shaft Comes with standard black
center capHighly Polished

P/N	Diameter
C050111	11"
C050315	15-1/2"
C050213	13-1/2"

STEERING WHEEL



Made of 304 Stainless Steel
5-spoke 25 degree Fits standard 3/4' tapered
shaft Comes with standard black center cap
Highly Polished

P/N	Diameter
C020213	13-1/2"
C020111	11"
C020315	15-1/2"

STEERING WHEEL



Made of 304 Stainless Steel
5-spoke 25 degree Fits
standard 3/4' tapered
shaft Comes with standard black
center capHighly Polished

P/N	Diameter
C030111	11"
C030315	15-1/2"
C030213	13-1/2"

SPORT WHEEL W/FINGER GRIPS & CONTROL KNOB



Made of 304 Stainless Steel
Highly Polished

P/N	Diameter	Shaft
C100115	15-1/2"	3/4"
C100213	13-1/2"	3/4"

STEERING WHEEL w/black foam coating

Made of 304 Stainless Steel
5-spoke 25 degree Fits standard 3/4" tapered
shaft Comes with standard black center cap
Highly Polished

P/N	Diameter
C060111	11"
C060315	15-1/2"
C060213	13-1/2"



STEERING WHEEL W/KNOB

Made of 304 Stainless Steel
5-spoke 25 degree Fits standard 3/4" tapered
shaft Comes with standard black center cap
Highly Polished

P/N	Diameter
C040111	11"
C040315	15-1/2"
C040213	13-1/2"



SPORT WHEEL W/FINGER GRIPS & CONTROL KNOB

Made of 304 Stainless Steel
Highly Polished

P/N	Diameter	Shaft
C070115	15-1/2"	3/4"
C070213	13-1/2"	3/4"



STEERING WHEEL

Made of 304 Stainless Steel
Highly Polished

P/N	Diameter	Shaft
C080215	15-1/2"	3/4"
C080113	13-1/2"	3/4"



SPORT WHEEL W/FINGER GRIPS & CONTROL KNOB



Made of 304 Stainless Steel
Highly Polished

P/N	Diameter	Shaft
C090115	15-1/2"	3/4"
C090213	13-1/2"	3/4"

SAIL-BOAT WHEEL



Made of 304 Stainless Steel
Highly Polished

P/N	Size	Hole	P/N	Size	Hole
C110124	24"	7/8"	C110824	24"	1"
C110226	26"	7/8"	C111130	30"	1"
C110328	28"	7/8"	C111028	28"	1"
C110430	30"	7/8"	C110926	26"	1"
C110736	36 "	7/8"	C111436	36"	1"
C110634	34"	7/8"	C111334	34"	1"
C110532	32"	7/8"	C111232	32"	1"
			C111538	38"	1"

TURNING KNOB



Made of 304 Stainless Steel
Highly Polished

P/N	Fits Rim Size
C010100	3/4"*1"
C010200	3/4"*1"



CAP FOR WHEEL



Made of Bakelite/Teak/Investment
Cast 316 Stainless Steel

P/N	Material
C120100	Bakelite
C120200	Teak
C120300	Investment Cast S. S. 316
C120400	PC
C120500	W/304 CAP

STEERING WHEEL

Made of 304 Stainless Steel
6-Spoke wheel with black polyurethane rim
and grip
Including insert to adapt to no 2 different
shaft cones

P/N	Diameter
C130145	450mm
C130255	550mm
C130370	700mm



24

STEERING WHEEL

4-Spoke Rim features rich leather grain,
stitching and finger grips.
Fits all standard 3/4" tapered shafts

P/N	Diameter
C140113	13-1/2"



Replacement Nut

Made of 316Stainless Steel

P/N	Diameter
C090112	1/2"- 20 Replacement Nut
C090258	5/8"- 18 Replacement Nut
C090312	M12



LADDER

BOARDING LADDER



Made of 6063 Aluminum tube+polyethylene

P/N	Step
D010103	3
D010204	4
D010305	5

OVER PLATFORM LADDER



Made of 304 Stainless Steel

P/N	Step	Deployed	Stowed	Width
D020102	2	23.5"	13.5"	10"
D020203	3	35"	14.5"	10"
D020304	4	45.5"	15.5"	10"
D020405	5	62.5"	16.5"	10"

MOUNTING KITS FOR FOLDING LADDER



Made of 304 Stainless Steel

P/N	Length	Width	Thickness
D260100	2.5"	1"	5/32" (Plate only)
D260200	2.5"	1"	5/32" (Two Sets)

TELESCOPIC BATHING LADDER

Made of 304 Stainless Steel

P/N	Step	Extended	Stowed	Width
D290102	2	604mm	354mm	358mm
D290203	3	880mm	374mm	358mm
D290304	4	1156mm	394mm	358mm



26

SWIM LADDER

Made of 304 Stainless Steel

P/N	Step	Length	Dia.
D300104	4	2055mm	25mm



SWIM PLATFORM W/LADDER

Made of 304 Stainless Steel

Platform T 0.75"*W 18"*D 14"

P/N	Step	Deployed	Stowed	Width
D030102	2	23.5"	13.5"	14"
D030203	3	35"	14.5"	14"
D030304	4	45.5"	15.5"	14"
D030301	1			14"



DELUXE UNIVERSAL SWIM PLATFORM W/SIDE MOUNT TELESCOPING LADDER

Made of 304 Stainless Steel

Platform T 0.75"*W 18"*D 14"

P/N	Step	Deployed	Stowed	Width
D040102	2	23.5"	13.5"	12"
D040203	3	35"	14.5"	12"



UNIVERSAL SWIM PLATFORM W/UNDER MOUNT TELESCOPING LADDER



Made of 304 Stainless Steel
Platform T 0.75"*W 18"*D 14"

P/N	Step	Deployed	Stowed	Width
D050102	2	23.5"	13.5"	12"
D050203	3	35"	14.5"	12"

TELESCOPING TRANSOM MOUNT LADDER



Made of 304 Stainless Steel

P/N	Step	Deployed	Stowed	Width
D060103	2+1	23.5"	13.5"	10"
D060204	3+1	35"	14.5"	10"

DELUXE SLIDE LADDER



Made of 304 Stainless Steel

P/N	Step	Deployed	Stowed	Width
D070102	2	23.5"	13.5"	10"
D070203	3	35"	14.5"	10"

UNDER PLATFORM LADDER



Made of 304 Stainless Steel

P/N	Step	Deployed	Stowed	Width
D080102	2	23.5"	13.5"	10"
D080203	3	35"	14.5"	10"

FOLDING LADDER

Made of 304 Stainless Steel

P/N	Step	Deployed	Stowed	Width
D090102	2+1	23.6"	12.6"	7.87"
D090202	2+2	34.6"	17.7"	9.25"
D090303	3+2	42.7"	28.7"	9.25"
D090402	2+3	42.7"	23.9"	10"
D090503	3+3	51.8"	28.7"	10"



28

FOLDING LADDER

Made of 304 Stainless Steel+Teak

P/N	Step	Deployed	Stowed	Width
D090102T	2+1	23.6"	12.6"	7.87"
D090202T	2+2	34.6"	17.7"	9.25"
D090303T	3+2	42.7"	28.7"	9.25"
D090402T	2+3	42.7"	23.9"	10"
D090503T	3+3	51.8"	28.7"	10"



BOARDING LADDER

Made of 304 Stainless Steel

P/N	Step	Deployed	Stowed	Width
D100103	3+2	51.2"	36.7"	10"
D100202	2+3	51.2"	27"	10"
D100303	3+3	60.2"	36.7"	10"



THE BOW HANGING LADDER

Made of 304 Stainless Steel

P/N	Step	Deployed	Stowed	Width
D110100	3	49.25"	37.25"	11.5"



ARTHROSIS LADDER



Made of 304 Stainless Steel

P/N	Step	Deployed	Stowed	Width	HeightStowed
D120102	2+2	42"	28"	14"	7.7"
D120202	2+2	33.5"	17"	10"	4.8"

DIVE LADDER



Made of 304 Stainless Steel

P/N	Step	Length	Width
D130103	3	34"	14"
D130204	4	44-3/4"	14"

TELESCOPING SWIM LADDER



Made of 304 Stainless Steel

P/N	Step	Deployed	Stowed	Width
D140102	2	23"	14-1/2"	13-1/2"
D140203	3	33-1/8"	33-5/8"	13-1/2"
D140304	4	44-1/8"	19-1/2"	13-1/2"

TELESCOPING SWIM LADDER



Made of 304 Stainless Steel

P/N	Step	Deployed	Stowed	Width
D150103	3	35"	15.5"	10"
D150204	4	45.5"	17"	10"

CLAMP FOR LADDER

Made of Nylon

P/N	Tube	Color
D170100	7/8"	Black
D170300	1-1/4"	Black
D170400	1-1/2"	Black
D170200	1"	Black



30

FOLDING LADDER

Made of 304 Stainless Steel

P/N	Step	Length	Width	Color
D180103	3	26.7"	9.1"	White
D180203	3	26.7"	9.1"	Black



UNDER PLATFORM LADDER

Made of 304 Stainless Steel

P/N	Step	Deployed	Stowed	Width
D190102	2	23.5"	13.5"	10"
D190203	3	35"	14.5"	10"



UNDER PLATFORM LADDER

Made of 304 Stainless Steel

P/N	Step	Deployed	Stowed	Width	HeightStowed
D200102	2	26"	17"	10"	5"
D200203	3	37"	18"	10"	6"



COMPACT TRANSOM LADDER



Made of 304 Stainless Steel

P/N	Step	Length	Width
D210102	2	6.5"	15.5"

BOX LADDERS



Made of 304 Stainless Steel

P/N	Step	Deployed	Stowed	BoxDimension
D220103	3	35"	14.5"	18"*16"*3.5"
D220204	4	45"	15.5"	19"*16"*3.5"

TRANSOM GUDGEON



Made of 304 Stainless Steel

P/N	Width	Length	Tab
D230100	1.06"	4.5"	A
D230200	1.14"	5.75"	B
D230300	1.06"	4.5"	C
D230400	1.4"	5.75"	A
D230500	1.38"	5.75"	B
D230600	1.4"	5.5"	C
D230700	1.73"	6.5"	A
D230800	1.73"	6.5"	B
D230900	1.73"	6.5"	C

TELESCOPING LADDER



Made of 304 Stainless Steel

P/N	Step	Deployed	Stowed	Width
D240103	3	27.5"	12"	11.5"
D240204	4	36.5"	12.4"	11.7"

TELESCOPING DROP LADDER

Made of 304 Stainless Steel

P/N	Step	Deployed	Stowed	Width
D250103	3	35"	15"	16"
D250202	2	23.5"	14"	16"



UNDER PLATFORM LADDER

Made of 304 Stainless Steel

P/N	Step	Deployed	Stowed	Width
D270102	2	23.5"	13.5"	10"
D270203	3	35"	14.5"	10"
D270304	4	45.5"	15.5"	10"



TELESCOPING DROP LADDER W/HANDLE

Made of 304 Stainless Steel

P/N	Step	Deployed	Stowed	Width
D280102	2	35"	13-1/2"	10"
D280203	3	34-3/16"	14-7/8"	10"
D280304	4	45-5/8"	15-5/8"	10"



FOLDING BATHING LADDER

Made of 304 Stainless Steel

P/N	Step	Deployed	Stowed	Width
D300103	3	950 mm	500 mm	270 mm



TELESCOPING DROP LADDER



Made of 304 Stainless Steel

P/N	STEP	Width	Height
D290101	1	11"	13.5"

UNDER PLATFORM LADDER




Made of 304 Stainless Steel

P/N	STEP	Deployed	Stowed	Width
D320104	4	48.3"	18"	15"

SWIM DECK LADDER

- A L-Shaped Plate
- B The Steps
- C Handrail
- D Nuts 2pcs
- E M8*40 Self-Tapping Screw 7pcs
- F M8*60 Pan-head cross Bolts 2pcs
- G M8*50 Pan-head cross Bolts 2pcs
- H Nylon Spacer 4pcs



Made of 304 Stainless Steel

On the base of D320104,

You can assemble all the parts of this ladder by yourself

P/N	STEP	Deployed	Stowed	Width
D320204	4	48.3"	18"	14"

TELESCOPIC DINGHY BATHING LADDER




Made of 304 Stainless Steel

P/N	STEP	Deployed	Stowed	Width
D310104	3+1	1250 mm	750 mm	290 mm

WHITE ALUMINUM DIVER LADDER

Made of Aluminum,with mounting brackets
Capacity:275 pounds

P/N	Steps	Length	Width
D440102AL	2	27"	12-1/4"
D440203AL	3	38"	12-1/4"
D440304AL	4	48"	12-1/4"



GUNWALE MOUNT LADDERS

Made of 304 stainless steel

P/N	Step	deployed length	stowed length	width
D500204	2+2	45-1/2"	28-3/8"	13-3/4"
D500105	2+3	55.8"	38"	13-3/4"
D500306	3+3	65"	38"	13-3/4"



MOUNTING SOCKETS

D500418-P

Surface Mounting Sockets brackets for
Removable Folding Transom, 3 1/2" Length x 1 1/2" Width



POP-N-LOCK LADDER

Made of 304 stainless steel

P/N	Step	Deployed length	Width
D072603	3	35"	12"



ALUMINUM FOLDING LADDER



Made of Aluminum

P/N	Step	Deployed	Stowed	Width
D410104AL	2+2	42"	22.8"	13.8"

35


ALUMINUM FIXED LADDER



Made of Aluminum

P/N	Step	Length	Width
D420103AL	3	52.4"	18"
D420204AL	4	63.8"	18"
D420305AL	5	75.2"	18"

ALUMINUM FOLDABLE LADDER



Made of Aluminum

P/N	Step	Length	Width
D430105AL	5	58.4"	19.7"

ALUMINUM FOLDING LADDER



Made of Aluminum+Polyethylene

P/N	Step	Length	Width
D400104AL	2+2	43.6"	13.6"

ROBUST TELESCOPING BATHING LADDER

Made of 304 Stainless Steel.
Oval steps with black plastic.
Slides in and folds up.

P/N	Step	Deployed	Stowed	Width
D310304	3+1	880 mm	380 mm	300 mm



Ladder

Made of aluminum

P/N	Step	Length	Width
D450103AL	3	31"	14.65"



VERTICAL TRANSOM MOUNTING FOR SPORT DIVER LADDER

Made of 304 stainless steel

P/N	Width	Height	Depth
D160100	2.5"	8.5"	3.33"



TEFLON OVER PLATFORM LADDER



Made of 304 Stainless Steel and Teflon surface

P/N	Step	Deployed	Stowed	Width
D020102TBL	2	23.5"	13.5"	10"
D020203TBL	3	35"	14.5"	10"
D020304TBL	4	45.5"	15.5"	10"
D020405TBL	5	62.5"	16.5"	10"

TEFLON OVER PLATFORM LADDER



Made of 304 Stainless Steel and Teflon surface

P/N	Step	Deployed	Stowed	Width
D020102TB	2	23.5"	13.5"	10"
D020203TB	3	35"	14.5"	10"
D020304TB	4	45.5"	15.5"	10"
D020405TB	5	62.5"	16.5"	10"

TEFLON OVER PLATFORM LADDER



Made of 304 Stainless Steel and Teflon surface

P/N	Step	Deployed	Stowed	Width
D020102TW	2	23.5"	13.5"	10"
D020203TW	3	35"	14.5"	10"
D020304TW	4	45.5"	15.5"	10"
D020405TW	5	62.5"	16.5"	10"

Exclusive patent

patent number : 202130591452.2

HANDRAIL

OVAL HANDRAIL

Made of 304 Stainless Steel

P/N	Length	Stud	Oval Tube
E010112	12"	5/16"*2"	1"*3/4"
E010116	16"	5/16"*2"	1"*3/4"
E010218	18"	5/16"*2"	1"*3/4"
E010120	20"	5/16"*2"	1"*3/4"
E010324	24"	5/16"*2"	1"*3/4"



38

OVAL HANDRAIL

Made of 304 Stainless Steel

P/N	Length	screw thread	Oval Tube
E020112	12"	5/16"	1"*3/4"
E020116	16"	5/16"	1"*3/4"
E020218	18"	5/16"	1"*3/4"
E020324	24"	5/16"	1"*3/4"



ROUND HANDRAIL

Made of 304 Stainless Steel

P/N	Length	Stub	Tube
E030112	12"	5/16"*2"	7/8"
E030116	16"	5/16"*2"	7/8"
E030218	18"	5/16"*2"	7/8"
E030324	24"	5/16"*2"	7/8"



CAST HANDRAIL

Made of 316 Stainless Steel

P/N	Length	Height
E080100	11.8"	2"



ROUND HANDRAIL



Made of 304 Stainless Steel

P/N	Length	Screw thread	Tube
E030412	12"	1/4"	7/8"
E030416	16"	1/4"	7/8"
E030518	18"	1/4"	7/8"
E030624	24"	1/4"	7/8"

39

ROUND HANDRAIL



Made of 304 Stainless Steel

P/N	Length	Stud	Round Tube
E040108	8"	5/16"*3-1/4"	7/8"
E040208	8"	5/16"*2"	7/8"
E040313	13"	5/16"*1-1/2"	7/8"

HANDRAIL+SKI TOW w/stud



Made of 304 Stainless Steel

P/N	Length	Stud	Oval Tube
E050124	24"	5/16"*1-1/4"	1"*7/8"

HANDRAIL w/stud & finger grip



Made of 304 Stainless Steel

P/N	Length	Stud	Round Tube
E060108	8-5/8"	5/16*2"	1"
E060212	12"	5/16*2"	1"
E060324	24"	5/16*2"	1"
E060416	16"	5/16*2"	1"
E060518	18"	5/16*2"	1"

CAST HANDRAIL

Made of 316 Stainless Steel

P/N	Length	Height
E070100	6.7"	1.6"



40

OVAL HANDRAIL

Made of 304 Stainless Steel

P/N	Length	Screw Thread	Oval Tube
E110109	9"	1/4"	1"*7/8"
E110212	12"	1/4"	1"*7/8"
E110316	16"	1/4"	1"*7/8"
E110418	18"	1/4"	1"*7/8"
E110524	24"	1/4"	1"*7/8"



ROUND HANDRAIL

Made of 304 Stainless Steel

P/N	Length	Hole	Round Tube
E090112	12"	1/4"	7/8"
E090216	16"	1/4"	7/8"
E090318	18"	1/4"	7/8"
E090424	24"	1/4"	7/8"



OVAL HANDRAIL

Made of 304 Stainless Steel

P/N	Length	Stud	RoundTube
E100110	10"	5/16*2"	7/8"
E100212	12"	5/16*2"	7/8"
E100316	16"	5/16*2"	7/8"
E100418	18"	5/16*2"	7/8"



ASSIST HANDRAIL



Made of Stainless Steel and Solid Acrylic.

P/N	Length	Fuction
E086433-00	20"	Unlit handle
E086433-WH	20"	White LED Illumination

41

ASSIST HANDRAIL



Made of Stainless Steel and Solid Acrylic.
Available lengths: 13 " , 18 " , 24 " & 34.75 "
High output is 200% brighter than the standard output.
CL= White Standard Output|OO = Unlit Handle |
WH = White High Output |
BL= Blue High Output

P/N	Length	Feature(can be choosed)
E086435-12	12"	OO/CL/WH/BL
E086435-18	18"	OO/CL/WH/BL

TEAK ROUND HANDRAIL



Made of teak & stainless steel 304

P/N	Length	Screw thread	Tube
E030412T	12"	1/4"	7/8"
E030416T	16"	1/4"	7/8"
E030518T	8"	1/4"	7/8"
E030624T	24"	1/4"	7/8"

TEAK OVAL HANDRAIL



Made of teak & stainless steel 304

P/N	Length	Stud	Oval Tube
E100212T	12"	5/16"*2"	1"*3/4"
E100316T	16"	5/16"*2"	1"*3/4"
E100318T	18"	5/16"*2"	1"*3/4"
E100424T	24"	5/16"*2"	1"*3/4"

TEAK ROUND HANDRAIL

Made of teak & stainless steel 304

P/N	Length	Stub	Tube
E030112T	12"	5/16"*2"	7/8"
E030116T	16"	5/16"*2"	7/8"
E030218T	18"	5/16"*2"	7/8"
E030324T	24"	5/16"*2"	7/8"



TEAK OVAL HANDRAIL

Made of teak & stainless steel 304

P/N	Length	Screw Thread	RoundTube
E101212T	12"	1/4"	7/8"
E101316T	16"	1/4"	7/8"
E101418T	18"	1/4"	7/8"
E101524T	24"	1/4"	7/8"



DRINK HOLDER

FLUSH CUP HOLDER



Made of 304 Stainless Steel

P/N	Height	W/Pad Gasket	Flange	Nipple
F010114	3-3/4"	ϕ 2-13/16" ϕ 3-1/4"	4-1/4"	1/4"
F010238	3-3/4"	ϕ 2-13/16" ϕ 3-1/4"	4-1/4"	3/8"

43

LED FLUSH CUP HOLDER

Made of 304 Stainless Steel



P/N	Height	W/Pad Gasket	Flange	Nipple	LED Color
F020114	3-3/4"	ϕ 2-13/16" ϕ 3-1/4"	4-1/4"	1/4"	Blue
F020214	3-3/4"	ϕ 2-13/16" ϕ 3-1/4"	4-1/4"	1/4"	Red
F020338	3-3/4"	ϕ 2-13/16" ϕ 3-1/4"	4-1/4"	3/8"	Blue
F020438	3-3/4"	ϕ 2-13/16" ϕ 3-1/4"	4-1/4"	3/8"	Red
F020514	3-3/4"	ϕ 2-13/16" ϕ 3-1/4"	4-1/4"	1/4"	Green
F020638	3-3/4"	ϕ 2-13/16" ϕ 3-1/4"	4-1/4"	3/8"	Green

FOLD-UP DRINK HOLDERS



Adjustable and made of ABS

P/N	Length	Depth	Width	Color
F030100	4"	13/16"	3-7/8"	Chrome
F040100	4"	13/16"	3-7/8"	White
F040200	4"	13/16"	3-7/8"	Black
F040300	4"	13/16"	3-7/8"	Gray

FOLD-UP DRINK HOLDER



Made of 304 Stainless Steel
Adjustable and made

P/N	Length	Depth	Width
F050100	4"	13/16"	3-7/8"

DRINK HOLDER

Made of 316 Stainless Steel
1/4*4"O.D. solid rings 1/4"*7/8"thread studs
2-1/2"above deck when installed

P/N	Rings	Total Length
F080200	2	16-3/4"



44

DRINK HOLDER

Made of 304 Stainless Steel

P/N	Height	Hole OD	Hole	Nipple
F010383	3-3/4"	4"	3-3/4"	3/8"



DRINK HOLDER

Made of plastic Polypropylene

P/N	Height	Hole OD	Hole	Nipple	Color
F100100	3-3/4"	3-5/16"	3"	3/8"	White
F100200	3-3/4"	3-5/16"	3"	3/8"	Black



SWIVEL DRINK HOLDER

Made of chrome plated mug holder with foam insulator
LOGO can be customized.

P/N	SS Holder ID	Foam Cup ID
F110100	85mm	65mm



DRINK HOLDERS



Made of 316 Stainless Steel
FOLD-UP DRINK HOLDER
Made of Plastic Polypropylene+S.S.304
P/N Length Width Height
F090100 3-3/4" 3-3/4" 3-3/4"
5/16"4-1/8" O.D. solid rings 5/16"2" thread studs
2" above deck when installed

P/N	Rings
F060100	1
F060200	2
F060300	3

DRINK HOLDERS



Made of 316 Stainless Steel
3-1/2" I. D. Solid Rings 1/4" Thread Holes

P/N	Rings
F070100	1
F070200	2

DRINK HOLDERS



Made of 304 Stainless Steel
5/16"4-1/8" O.D. Solid Rings 5/16"2" Thread Studs
2" Above Deck When Installed

P/N	Rings
F080100	1

FOLD-UP DRINK HOLDER



Made of Plastic Polypropylene+S.S.304

P/N	Length	Width	Height
F090100	3-3/4"	3-3/4"	3-3/4"

THRU-HULL TRIM COVER



Nylon #66 compound with 30% fiber glass body
W/Stainless steel 316 trim cover
Black, white, gray, can choose

straight

90 degree


P/N	Hose	Flange	Install,Hole	P/N	Hose	Flange	Install,Hole
H010134	3/4"	1-7/8"	1-3/8"	H030234	3/4"	1-7/8"	1-3/8"
H010258	5/8"	1-7/8"	1-3/8"	H030158	5/8"	1-7/8"	1-3/8"
H010310	1"	1-7/8"	1-3/8"	H030310	1"	1-7/8"	1-3/8"
H010418	1-1/8"	1-7/8"	1-3/8"	H030418	1-1/8"	1-7/8"	1-3/8"
H010514	1-1/4"	2-3/8"	1-5/8"	H030514	1-1/4"	2-3/8"	1-5/8"
H010612	1-1/2"	2-3/8"	1-5/8"	H030612	1-1/2"	2-3/8"	1-5/8"
H010720	2"	3-1/4"	2-1/3"	H030234	3/4" (short)	1-7/8"	1-3/8"

DECK DRAIN SCUPPER



Made of 316 Stainless Steel; Connection: 38mm
With removable cover (Key supplied).
The integrated ball prevents water from flowing back.

P/N	A	B	C	D
H480500	38mm	58mm	115mm	91mm



47

STAINLESS STEEL MIDGET VENTILATOR



Made of 316 Stainless Steel

P/N	Length	Width	Height
H470300	118mm	120mm	45mm

VENTILATOR



Made of 304 Stainless Steel

P/N	Width	Length	Height	Finish
H040140	3-7/8"	4-1/3"	1-3/4"	Polish
H040240	3-7/8"	4-1/3"	1-3/4"	Coating

CLAMSHELL VENT



Made of 304 Stainless Steel

P/N	Width	Length	Height	Thk
H040313	1-5/8"	1-3/4"	1/2"	0.022"
H040418	2-1/8"	2-1/4"	5/8"	0.023"
H040534	1-1/4"	1-1/2"	1/2"	0.047"
H040612	1-1/2"	1-1/2"	1/2"	0.078"

10 degree Thru-Hull w/SS Trim Cover

Nylon #66 compound with 30% fiber glass body
W/Stainless steel 316 trim cover
Black, white, gray, can choose
Prevent water infusion

P/N	Hose	Flange	Install Hole
H460101	1-1/2"	3-1/4"	2-1/3"



Thru-Hull w/SS Trim Cover

48

Nylon #66 compound with 30% fiber glass body
W/Stainless steel 316 trim cover
Black, white, gray, can choose
Prevent water infusion


P/N	Hose	Flange	Install Hole
H460202	2"	3-1/4"	2-1/3"



Thru-Hull w/SS Trim Cover

Nylon #66 compound with 30% fiber glass body
W/Stainless steel 316 trim cover
Black, white, gray, can choose
Prevent water infusion

P/N	Flange	Install Hole
H460302	3-1/4"	2-1/3"



Made of 316 Stainless Steel

P/N	A	B	C	D
H480100	16mm	15mm	36mm	42mm
H480200	19mm	15mm	36mm	42mm
H480300	25mm	15mm	36mm	42mm
H480400	38mm	33mm	63mm	90mm (Plastic Elbow)

DISCHARGE 90°W/GRID



HAND OIL PUMP



Made of solid brass with removable tubing
for ease of operation and cleaning

P/N	Pump Body Length	Pump Body Diameter
H050100	6-1/4"	φ 1-1/4"

49

MANUAL OPERATED BILGE PUMP



1-1/8 I. D. hose six strokes pump out one gallon of water
ABS plastic pump with flexible polyethylene hose
Bottom cap is removable for easy cleaning

P/N	Pump Body Length	Pump Body Diameter	Color
H060118	18"	φ 1/3/4"	yellow
H060124	24"	φ 1/3/4"	yellow
H060224	24"	φ 1/3/4"	blue
H060336	36"	φ 1/3/4"	blue

GEAR LUBE PUMP



For use with 32 oz. gear lube bottles,
metric adapter included
Apply to each brand outboard engine

P/N H180100

BILGE HOSE



Made of PE plastic

P/N	Description	Color
H070134	3/4"x200 Feet	Black
H070234	3/4"x200 Feet	White
H070318	1-1/8"x200 Feet	Black
H070418	1-1/8"x200 Feet	White
H070514	1-1/4"x100 Feet	Black
H070614	1-1/4"x100 Feet	White
H070712	1-1/2"x100 Feet	Black
H070812	1-1/2"x100 Feet	White
H070920	Eddy 2"x25 Feet	Black
H071020	Eddy 2"x25 Feet	White

DECK FILL CAST

Made of 316 Stainless Steel. Key Supplied.

P/N	Hose	Description
H490100	1-1/2"	FUEL



WATER PUMPING HOSE

Made of Plastic Polypropylene

P/N	Hose Dia.	Length
H460113	13mm	1700mm
H460222	22mm	1700mm



Made of 316 Stainless Steel

DECK FILL CAST

P/N	Hose	Flange	Install Hole	Description
H100100	1-1/2"	3"	1-3/4"	GAS
H100200	1-1/2"	3"	1-3/4"	DIESEL
H100300	1-1/2"	3"	1-3/4"	WATER
H100400	1-1/2"	3"	1-3/4"	WASTE
H100500				Key only
H100600				Replacement Cap



30° DECK FILL CAST

Made of 316 Stainless Steel

P/N	Hose	Flange	Install Hole	Description
H450100	1-1/2"	3"	1-3/4"	GAS
H450200	1-1/2"	3"	1-3/4"	DIESEL
H450300	1-1/2"	3"	1-3/4"	WATER
H450400	1-1/2"	3"	1-3/4"	WASTE



GARBOARD DRAIN LUG



Made of 316 Stainless Steel

P/N	Diameter	Description
H080112	ϕ 2"	Complete Set 2"x1/2"NPT
H080212	1/2"	Replacement Plug 1/2"NPT

51

VENTILATOR



Made of 304 Stainless Steel+Plastic Base
2-1/4"above deck when installed

P/N	Diameter
H090100	7-5/8"

DECK FILL PLATE



Made of 316 Stainless Steel. Locking cap is marked " GAS " .
Includes 2 keys.
Mount with #10 screws.

P/N	Hose	Description
H500100	1-1/2"	GAS

DECK ENTRY



Made of 316 Stainless Steel

P/N	Hose	Depth	Description
H510100	1-1/2"	3-1/2"	DIESEL
H510200	1-1/2"	3-1/2"	WATER

DECK FILL CAST

Made of 316 Stainless Steel. Key Supplied.
Cap Diameter: 1-1/4".

P/N	Hose Dia.	Flange	Angle	Description
H100101	38mm	76mm	0°	Gas
H100102	38mm	76mm	0°	Diesel
H100103	38mm	76mm	0°	Water
H100104	38mm	76mm	0°	Waste
H100105	38mm	76mm	0°	Fuel
H100106	38mm	76mm	0°	Oil
H100107	38mm	76mm	0°	Petrol



SNAP DRAIN PLUG

52

Made of Brass & S.S.304

P/N	Diameter	Material
H110110	1"	Brass
H110214	1-1/4"	Brass
H110325	1"	S. S. 304
H110414	1-1/4"	S. S. 304



T-HANDLE DRAIN PLUG

Made of Brass & S.S.304

P/N	Diameter	Material
H110525	1"	Brass
H110632	1-1/4"	Brass
H110725	1"	S. S. 304
H110832	1-1/4"	S. S. 304



DRAIN TUBE

Made of Brass/s.s.304

P/N	Sleeve	Material
H110932	1-1/4" * 3"	Brass
H111032	1-1/4" * 3-7/8"	Brass
H111125	1" * 3"	Brass
H111225	1" * 3-1/2"	Brass
H111325	1" * 3-7/8"	Brass
H111425	1" * 1-7/8"	Brass
H111525	1" * 3-7/8"	S. S. 304



SUZUKI FEMALE FITTING



Made of 304 Stainless Steel

P/N	Description
H200141	1/4" Barb
H200265	5/16" Barb
H200338	3/8" Barb

53

NISSAN FITTING



Made of 304 Stainless Steel

P/N	Description
H210141	Male 1/4" NPT
H210265	Female 5/16" Barb
H210383	Female 3/8" Barb

HONDA FITTING



Made of 304 Stainless Steel

P/N	Description
H210441	Male 1/4" NPT
H210583	Female 3/8" Barb

CHRYSLER/FORCE CONNECTOR



Made of 304 Stainless Steel

P/N	Description
H190141	Male 1/4" NPT
H190265	Female 5/8" Barb
H190385	Female 3/8" Barb

DRAIN PLUG

Made of Nylon plastic

P/N	Description	Flange Size
H120110	Drain plug	1"
H120200	plug and gasket	



IN-LINE FUEL FILTER

Made of Molded white plastic.

P/N	Barb	Application
H130141	1/4"	Mercury 35-16494 and 35-816296Q2
H130265	5/16"	Mercury 35-816296-1, 35-16494, J/E 398327
H130383	3/8"	J/E 398319



MERCURY VERADO FILTER ELEMENT

Fits the Verado outboard replaceable
H150200 Fuel/Water Separator Kit
cartridge fuel filter

P/N H160100



FUEL FILTER

1/4 to 3/8 inch universal in-line filter

P/N	Description
H170100	Fuel Filter complete Set
H170101	Replacement Filter elements



MOTOR FLUSHER



Universal motor flusher allows the cooling system to be flushed out using a garden hose. Quickly flushes away salt, sand, silt, and alkali to prevent clogging and corrosion.

P/N	Description
H220100	Round Cap
H220200	Rectangular Cap

55

MOTOR FLUSHER



Universal motor flusher allows the cooling system to be flushed out using a garden hose. Quickly flushes away salt, sand, silt, and alkali to prevent clogging and corrosion.

P/N	Description
H220300	Round Cap
H220400	Rectangular Cap
H220400R	Rectangular Cap(Rubber)
H220400RG	Blue Rectangular Cap

DRAIN COVER



Made of 304 Stainless Steel

P/N	Size
H230100	3-1/4"

BUTTERFLY VENT-CENTER KNOB



Made of 304 Stainless Steel

P/N	Diameter	Thickness
H240100	4"	0.05"
H240200	5"	0.05"

UNIVERSAL FUEL LINE ASSEMBLY

Primer bulb with hose

P/N	Hose Length	Hose Dia.
H210941	118"	1/4"
H211065	118"	5/16"
H211183	118"	3/8"



PRIMER BULB

P/N	Description
H210641	1/4" Hose
H210765	5/16" Hose
H210883	3/8" Hose



UNIVERSAL FUEL LINE ASSEMBLY

Primer bulb with hose and Yamaha connector

P/N	Hose Length	Hose Dia.
H211241	118"	1/4"
H211265	118"	5/16"
H211283	118"	3/8"



MOTOR FLUSHER

Universal motor flusher allows the cooling system to be flushed out using a garden hose shunting with the SS. 304 hose. Quickly flushes away salt, sand, silt and alkali to prevent clogging and corrosion.

P/N	Description
H220410	Rectangular Cap
H220310	Round Cap
H220510RG	Orange Rectangular Cap



STAMPED LOUVERED VENT



Made of 304 Stainless Steel

P/N	Width	Length	Thickness
H290100	5"	9"	0.03"
H290200	2.56"	5"	0.03"
H290300	4.53"	5"	0.03"
H290400	4.53"	9.13"	0.03"

57

LOUVERED VENT



Made of 304 Stainless Steel

P/N	Width	Length
H300100	6-1/3"	9-1/2"

LOUVERED VENT



Made of 304 Stainless Steel

P/N	Slots	Length	Width	Height
H310100	3	8-1/4"	4-3/8"	1-1/2"
H310200	4	10"	4-3/8"	1-1/2"
H310300	5	12-7/8"	4-3/8"	1-1/2"

LOUVERED VENT



Made of 304 Stainless Steel

P/N	Slots	Length	Width	Height
H320100	6	12-7/8"	3"	1-1/4"
H320200	7	14-7/8"	3"	1-1/4"
H320300	8	16-13/16"	3"	1-1/4"
H320400	10	20-3/4"	3"	1-1/4"
H320500	4	8-1/8"	4-7/16"	1-1/2"
H320600	6	12-7/8"	4-7/16"	1-1/2"
H320700	10	20-13/16"	4-7/16"	1-1/2"

BUTTERFLY VENT-SIDE KNOB VENT

Made of 304 Stainless Steel

P/N	Diameter	Thickness
H250100	4"	0.05"
H250200	5"	0.05"



ROUND LOUVERED VENT

Made of 304 Stainless Steel

P/N	Diameter	Thickness
H260100	4"	0.04"
H260200	5"	0.04"
H260300	6"	0.04"



THRU VENT

Made of 304 Stainless Steel

P/N	Size	Thickness
H270100	4"*4"	0.04"
H270200	5"*5"	0.04"



HOSE VENT

Made of 304 Stainless Steel

P/N	Hose Dia	Flange Size	Height
H280100	4"	5"*5"	3"
H280200	3"	4"*4"	2-7/16"



DECK PLATE KEY



Made of 304 Stainless Steel

P/N	Length
H370100	7"

59

OVAL DRAIN PLUG



Made of 316 Stainless Steel

P/N	Flange	Install Hole
H430100	2-1/5"*1-1/2"	1-1/8"

OVAL DRAIN PLUG w/plastic cap



Made of 316 Stainless Steel

P/N	Flange	Install Hole
H430200	2-1/5"*1-1/2"	1-1/8"

EXHAUST FITTING



Made of 316 Stainless Steel

P/N	Hose	Flange	Install Hole	Total Length
H440100	1-1/2"	3-1/8"	2-1/4"	5-1/2"
H440200	2"	3-1/8"	2-1/4"	4-1/2"
H440300	3"	4-5/8"	3-1/2"	5-3/4"

EXHAUST OUTLET

Made of 304 Stainless Steel

P/N	Hose Dia	Fastener
H330100	3"	1/4FH
H330200	3-1/2"	1/4FH
H330300	4"	1/4FH



EXHAUST OUTLET

Made of 304 Stainless Steel

P/N	Hose Dia	Fastener
H340100	3"	1/4FH
H340200	3-1/2"	1/4FH
H340300	4"	1/4FH



TRANSOM EXHAUST PIPE

Made of 304 Stainless Steel

P/N	Hose Dia	Fastener	Length
H350100	1-1/2"	3-1/4"	4-9/16"
H350200	1-7/8"	3-5/8"	5-9/16"
H350300	2-1/2"	4-1/8"	5-9/16"
H350400	3"	4-3/4"	4-15/16"



DECK PLATE

Made of 316 Stainless Steel

P/N	Flange	Plate ID
H360100	4-11/16"	3"
H360200	4-9/16"	4"
H360300	(Key Only)	



WATER DECK FILLER



Made of Plastic

P/N	Color
H100301SB	Black
H100301SW	White



61

FUEL DECK FILLER



Made of Plastic

P/N	Color
H100101SB	Black
H100101SW	White



FLOOR FILLER



Made of 316 Stainless Steel

P/N	Dia.
H520038	3/8"
H520012	1/2"
H520034	3/4"
H520112	1-1/2"
H520114	1-1/4"
H520010	1"
H520020	2"

BALL VALVES



Made of PVC

P/N	SPEC	Innner Did
H031100	Without thread	50mm
H031101	With the thread	50mm

FUEL TANK VENT ROUND HEAD

Made of 304 Stainless Steel

P/N	Hose	Length Thread	Height
H480185	5/8"	1-2/5"	3"



FUEL TANK VENT ROUND HEAD,90 Degree

Made of 304 Stainless Steel

P/N	Hose	Length Thread	Flange
H470134	3/4"	1-1/8"	2"
H470285	5/8"	1-1/8"	1-3/4"



FUEL TANK VENT ROUND HEAD,90 Degree

Made of 304 Stainless Steel

P/N	Hose	Length Thread
H460134	3/4"	1-1/8"
H460285	5/8"	1-1/8"



MARINE THREADING PROTECTIVE SLEEVE



P/N	Color	Size
H460201B	Black	102*120
H460201W	White	102*120

UF-10K FUEL FILTER

P/N

H050201



DECK DRAIN SCUPPER



Made of 316 stainless steel

P/N

H480600

63

SKIN FITTING



Made of 316 stainless steel

P/N

Dia

H110100

1-1/4" X 38MM

H110200

1/2" X 18MM

SKIN FITTINGS STRAIGHT



Made of 316 Stainless Steel

P/N	Hose	Flange	Install Hole	Total Length
H410200	3/4"	1-1/4"	7/8"	2-5/8"

FUEL FILTER / WATER SEPARATOR



P/N

H050202

LIFT HANDLE

SPRING LOADED FLUSH LIFT HANDLE

Made of 304 Stainless Steel

P/N	Height	Width	Length
J030100	5/16"	2-3/16"	3"



SPRING LOADED FLUSH LIFT HANDLE

Made of 304 Stainless Steel

P/N	Height	Width	Length	Spring
J050100	7/16"	2-3/16"	2-9/16"	Yes
J050200	7/16"	1-1/2"	1-3/4"	Yes
J050300	3/8"	2-3/16"	2-9/16"	No



SPRING LOADED FLUSH LIFT HANDLE

Made of 304 Stainless Steel

P/N	Height	Width	Length
J080100	5/16"	2-3/16"	3"



HATCH COVER PULL

Made of 304 Stainless Steel

P/N	Dia.	Length	Base Dia.	Washer
J020100	1/4"	3-3/1"	1-1/4"	Optional
J020200	1/4"	4-1/2"	1-1/4"	Optional



FLUSH LIFT RING



Made of 316 Stainless Steel

P/N	Width	Length
J370100	1-1/2"	1-15/16"
J370200	1-7/8"	2-1/2"

65

LIFTING RING



Made of 316 Stainless Steel


P/N	Width	Length
J380100	3"	2-1/4"

GRAND COMPRESSION LATCH WATERTIGHT



Made of 316 Stainless Steel

P/N	A	B	C	D	E	F
J510200	8-25mm	22-76mm	60mm	50mm	71mm	54mm




WATERTIGHT ROUND GRAND COMPRESSION LATCH



Made of chrome T-handle and black polymer body


P/N	A	B	C	D	E	F
J610100	3-19mm	19-60mm	75mm	63.5mm	58mm	60mm



ROUND HATCH HANDLE

Made of 316 stainless steel

P/N	Face Size	Length	Hole
J510400	2-3/8"	3-3/4"	2"




Made of 316 stainless steel

P/N	A	B	C	D
J620100	83mm	21mm	12+16 (ring) mm	19mm

FLUSH HATCH PULL RING

66



SPRING LOADED FLUSH LIFT HANDLE / LOCK

Made of 316 Stainless Steel

P/N	A	B	C	D	E	F
J510300	8-25mm	22-76mm	60mm	50mm	71mm	54mm



LIFT HANDLE



Made of 316 stainless steel

P/N
J510600


67

HATCH LOCK



Made of 316 Stainless Steel

P/N	A	B	D
J510100	9-22mm	19-25mm	45mm



GIMBALS



Made of 304 Stainless Steel
Flat surface type

P/N
J600100

HINGES

UTILITY HINGE

Made of 304 Stainless Steel

P/N	Width	Length	Fastener
J300314	1-1/2"	3"	#8



68

DOOR HINGE

Made of 304 Stainless Steel

P/N	Width	Length	Fastener
J520200	3"	4"	#8



DOOR HINGE

Made of 304 Stainless Steel

P/N	Width	Length	Thickness
J230100	3"	1-1/2"	2mm



SHORT SIDE OFFSET HINGES

Made of 304 Stainless Steel

P/N	Width	Length	Height	Thickness
J240100	1-1/2"	3"	7/8"	2mm
J240200	1-1/2"	3"	5/8"	2mm
J240300	1-1/2"	3"	1/2"	2mm



STRAP HINGE



Precision cast 316 stainless steel polished

P/N	Width	Length	Thickness
J280104	1"	4"	0.177"
J280305	1"	5-3/16"	0.177"
J280206	1"	6-1/3"	0.177"

69

DOOR HINGE



Precision cast 316 stainless steel polished

P/N	Width	Length	Thickness
J290115	1-1/2"	1-1/2"	0.177"
J290220	2"	2"	0.177"

DOOR HINGE



Precision cast 316 stainless steel polished

P/N	Width	Length	Thickness
J300113	1-1/2"	3"	0.177"
J300123	1-1/2"	3-1/2"	0.177"
J300214	1-1/2"	4"	0.177"

BUTT HINGE



Made of 304 Stainless Steel

P/N	Width	Length	Thickness
J320100	1-1/2"	2-1/4"	2mm

STAINLESS STEEL COVERED HINGE

Made of 316 Stainless Steel

P/N	Width	Length	Thickness
J500200	37mm	76.2mm	2mm



STAINLESS STEEL COVERED HINGE

70

Made of 316 Stainless Steel

P/N	Width	Length	Thickness
J500300	37mm	56mm	2mm



BUTT HINGE

Made of 304 Stainless Steel

P/N	Width	Length	Thickness
J250132	2"	3"	1.5mm
J250232	1-7/8"	2"	1.5mm



BUTT HINGE

Made of 304 Stainless Steel

P/N	Width	Length	Thickness
J270100	1-5/8"	2-3/4"	2mm



SWIVEL HASP



Precision cast 316 stainless steel polished

P/N	Width	Length
J310130	1"	3"

71

SWIVEL HASP



Made of 304 Stainless Steel

P/N	Width	Length	Description
J310230	1"	2-3/4"	Swivel
J310330	1"	2-3/4"	Fixed


MAG. LATCH



Made of 316 Stainless Steel

P/N	Width	Length	Door thickness	Description
J450100	2-1/4"	4"	5/8"	Left
J450200	2-1/4"	4"	5/8"	Right

MAG DOOR LATCH



Made of 316 Stainless Steel

P/N	A	B	C	D	Door thickness
J530100	2.5"	3"	3.6"	2.75"	0.875"-1"
J530200	2.5"	3"	3.6"	2.75"	1.1"-1.38"

DOOR HINGE

Made of 304 Stainless Steel

P/N	Width	Length	Thickness
J540100	1-1/16"	4-1/2"	1.5mm
J540200	1-1/16"	5-1/5"	1.5mm
J540300	1-1/16"	6-1/2"	1.5mm



LID BUCKLE, DOOR BOLT, DOOR LOCK

72

HATCH FASTENER

Made of 304 Stainless Steel

P/N	Width	Length
J100100	1"	2.6-3"
J100200	1.57"	4.5-4.9"
J100300	2.4"	6.25-7.1"



HEAVY DUTY BARREL BOLT

Made of 316 Stainless Steel

P/N	Width	Length	Bolt Length
J110100	1-1/2"	3-1/2"	3
J110200	1-1/2"	4-1/4"	4
J110300	1-1/2"	5-1/4"	5



HEAVY DUTY DOOR BOLT

Made of 316 Stainless Steel

P/N	Width	Length
J160100	1-1/4"	5-1/2"



SWIVEL HASP



Precision cast 316 stainless steel polished

P/N	Width	Length
J310130	1"	3"

SWIVEL HASP



Made of 304 Stainless Steel

P/N	Width	Length	Description
J310230	1"	2-3/4"	Swivel
J310330	1"	2-3/4"	Fixed


MAG. LATCH



Made of 316 Stainless Steel

P/N	Width	Length	Door thickness	Description
J450100	2-1/4"	4"	5/8"	Left
J450200	2-1/4"	4"	5/8"	Right

MAG DOOR LATCH



Made of 316 Stainless Steel

P/N	A	B	C	D	Door thickness
J530100	2.5"	3"	3.6"	2.75"	0.875"-1"
J530200	2.5"	3"	3.6"	2.75"	1.1"-1.38"

MARINE PADLOCK

Made of Brass

P/N	Width
J440100	1-1/5"



HATCH LOCK FASTENER

74

Made of 304 Stainless Steel

P/N	Length	Cut Hole
J350100	2-1/4"	7/8"
J350200	Plate Only	2-1/4"



CAM OVER LATCH

Made of 316 Stainless Steel.
Elongated wire loop is tensioned when latched.

P/N	Length	Width	Height
J490200	94mm	28mm	13mm



STAINLESS STEEL ANTI-RATTLE DOOR FASTENER

Made of 316 Stainless Steel

P/N	A	B	C
J100400	100mm	46mm	75mm



DOOR HINGE



Precision cast 316 stainless steel polished

P/N	Width	Length	Thickness
J520100	5"	5"	4mm

COVERED BUTT HINGE FLUSH TYPE



Made of 316 Stainless Steel

P/N	Width	Length	Thickness
J500100	2-15/16"	2-7/8"	3mm

BOAT HOOK & PADDLE

TELESCOPING BOAT HOOK

Made of Aluminum / Injected Molded Nylon
Length can be custom-made according to customer requirements

P/N	Open L	Close L	Section
K010103	96"	41"	3
K010202	70"	40"	2
K010003	144"	54"	3



TELESCOPING BOAT HOOK

Made of Aluminum / Injected Molded Nylon
Length can be custom-made according to customer requirements

P/N	Open L	Close L	Section
K020147	84"	48"	2



76

BOAT HOOK AND PADDLE

Made of Aluminum / Injected Molded ABS

P/N	Open L	Close L	Section
K110100	72"	48"	2



TELESCOPIC PADDLE

Made of Aluminum / Injected Molded Polypropylene

P/N	Open L	Close L	Section
K060223	33"	20"	2



BOAT HOOK AND PADDLE



Made of Aluminum / Injected
Molded Polypropylene

P/N	Length
K070100	59"

KAYAK PADDLE



Made of Aluminum / Injected
Molded Polypropylene

P/N	Length
K080100	82"

TELESCOPIC PADDLE



Made of Aluminum / Injected
Molded Polypropylene

P/N	Open L	Close L	Section
K090102	42"	30"	2

TELESCOPIC BOAT COVER SUPPORT



Made of Aluminum / Injected Molded Polypropylene
Length can be custom-made according to
customer requirements

P/N	Open L	Close L	Section
K100129	52"	29"	2
K100235	64"	35"	2

BOAT HOOK AND PADDLE

Made of Aluminum / Injected Molded ABS

P/N	Open L	Close L	Section
K030146	72"	48"	2



BRUSHES AND HOOK

Made of Aluminum / Injected Molded Nylon
w/2 brushes 1 plastic hook

P/N	Open L	Close L	Section
K040147	50"	28"	2



78

DELUXE TELESCOPIC BOAT HOOK

Made of Aluminum

P/N	Open L	Close L	Section
K050159	96"	54"	3



TELESCOPIC PADDLE WITH BOAT HOOK

Made of Aluminum / Injected
Molded Polypropylene

P/N	Open L	Close L	Section
K060126	66"	22"	3



BOAT HOOK



Made of Stainless Steel 316

P/N	Dia
K130028	28mm
K130034	34mm

BOAT HOOK

79



Made of Stainless Steel

P/N	Dia	Height
K140034	34mm	170mm
K140341	41mm	188mm

ANCHOR ACCESSORIES

ANCHOR ROLLER W/NYLON ROLLER

Made of 304 Stainless Steel

P/N	Length	Width	Height
M010100	7-3/4"	3-3/4"*2-1/4"	3"
M010200	8-7/8"	5"*2-1/4"	3"
M010300	9-7/8"	5-13/16"*2-1/4"	3"



ANCHOR ROLLER W/NYLON ROLLER

Made of 304 Stainless Steel

P/N	Length	Width	Height
M020100	12-7/8"	3-3/4"*2-1/4"	4-1/3"
M020200	14"	5"*2-1/4"	4-1/3"
M020300	15"	5-13/16"*2-1/4"	4-1/3"




80

ANCHOR ROLLER W/NYLON ROLLER

Made of 304 Stainless Steel

P/N	Length	Width	Height
M030100	12-7/8"	3-3/4"*2-1/4"	4-1/3"
M030200	14"	5"*2-1/4"	4-1/3"
M030300	15"	5-13/16"*2-1/4"	4-1/3"



STAINLESS STEEL CHAIN STOPPER

Made of 316 Stainless Steel
No chain tension on windlass with foot pedal
for easy and safe release of the anchor chain.

P/N	A	B	C	D
M380100	68mm	79mm	40mm	14mm



ELECTRO POLISHED ANCHOR ROLLER



Made of 304 Stainless Steel

P/N	Length	Width	Roller size	Thk
M080111	11"	2"	ϕ 2-1/2"*1-3/4"	3mm
M080211	11"	2"	ϕ 2-1/2"*1-3/4"	4mm

ELECTRO POLISHED ANCHOR ROLLER



Made of 304 Stainless Steel

P/N	Length	Width	Roller size
M090100	8-3/4"	2-5/8"	ϕ 2"*2"
M090200	8-3/4"	2"	ϕ 2-1/2"*1-5/8"

POLISHED ANCHOR ROLLER



Made of 304 Stainless Steel

P/N	Length	Width	Roller size
M100100	10-1/2"	2"	ϕ 1-7/8"*1-5/8"

ELECTRO POLISHED ANCHOR ROLLER



Made of 304 Stainless Steel

P/N	Length	Width	Roller size	Thk
M110100	15-1/4"	2-1/16"	ϕ 2-1/2"*1-3/4"	3mm
M110200	15-1/4"	2-1/16"	ϕ 2-1/2"*1-3/4"	4mm

ANCHOR ROLLER W/NYLON ROLLER

Made of 304 Stainless Steel

P/N	Length	Width	Height
M040100	12-7/8"	3-3/4"*2-1/4"	4-1/3"
M040200	14"	5"*2-1/4"	4-1/3"
M040300	15"	5-13/16"*2-1/4"	4-1/3"



ELECTRO POLISHED ANCHOR ROLLER

Made of 304 Stainless Steel

P/N	Length	Width	Roller size
M050115	15"	2"	φ 2-1/2"*1-3/4"
M050223	23-1/4"	3-1/2"	φ 4"*3-3/8"



82

BOW ROLLER

Made of 304 Stainless Steel

P/N	Length	Width	Roller size	Thk Color
M060100	6-1/4"	1-3/4"	φ 2-1/2"*1-3/4"	2mm Black
M060200	6-1/4"	1-3/4"	φ 2-1/2"*1-3/4"	4mm Black
M060300	6-1/4"	1-3/4"	φ 2-1/2"*1-3/4"	4mm White



ANCHOR ROLLER W/PU ROLLER

Made of 304 Stainless Steel

P/N	Length	Width	Roller size
M070109	9"	1-3/4"	2 1/2"*1-3/4"



PLATFORM BOW ROLLER



Made of 304 Stainless Steel

P/N	Length	Width	Roller size
M160106	6"	1-3/4"	Φ 2-1/2"*1-3/4"
M160206	6"	3-1/2"	Φ 3"*3-3/8"

PLATFORM BOW ROLLER



Made of 304 Stainless Steel

P/N	Length	Width	Roller size
M170100	3-7/8"	3-1/2"	Φ 3"*3-3/8"

STERN FAIRLEAD ANCHOR ROLLER



Made of 304 Stainless Steel

P/N	Length	Height	Roller size
M180100	6-1/4"	3-5/8"	Φ 2-1/2"*1-3/4"

REPLACEMENT ROLLER



Made of nylon

P/N	Dia	Width	Bushing
M190100	2"	2"	3/8"
M190200	2-11/16"	2-3/8"	1/2"
M190300	2-1/2"	1-3/4"	3/8"
M190400	3"	3"	1/2"
M190500	3"	3-3/8"	1/2"
M190600	4"	4"	1/2"
M190700	4"	3-3/8"	1/2"

ELECTRO POLISHED ANCHOR ROLLER

Made of 304 Stainless Steel

P/N	Length	Width	Roller size
M120119	19"	3-1/2"	φ 3"3"



ELECTRO POLISHED ANCHOR ROLLER

Made of 304 Stainless Steel

P/N	Length	Width	Roller size
M130119	19-7/8"	2-7/8"	φ 2-11/16"*2-3/8"



84

POLISHED ANCHOR ROLLER

Made of 304 Stainless Steel

P/N	Length	Width	Roller size
M140123	23"	3-3/4"	φ 3"*3-3/8"



ANCHOR ROLLER

Made of 304 Stainless Steel

P/N	Length	Width
M150122	22-3/4"	3-1/4"



FORGED D SHACKLE W/CAPTIVE PIN



Made of 304 Stainless Steel

P/N	Size
M310105	D=5mm
M310206	D=6mm
M310308	D=8mm
M310410	D=10mm

FORGED LONG SHACKLE W/CAPTIVE PIN



Made of 304 Stainless Steel

P/N	Size
M330106	D=6mm
M330208	D=8mm
M330310	D=10mm

CHAIN STOPPER CASTING



Made of 316 Stainless Steel

P/N	for chain
M320100	3/8"-1/2"

CHAIN LINK, FIXED



Made of 316 Stainless Steel

P/N	Length	for chain	Max Load
M350100	3"	3/8"	850KG
M350200	3-1/2"	1/2"	1350KG

REPLACEMENT ROLLER

Made of nylon

P/N	Dia	Width
M200100	3"	2.375"
M200200	2.36"	2.81"
M200300	2"	2.64"
M200400	2.25"	2.31"



ANCHOR CHAIN TENSIONER

Made of 316 Stainless Steel

P/N	Length	Width
M210100	8-1/4"	3-3/4"



86

ANCHOR LOCK

Made of 316 Stainless Steel

P/N	Length	Width	Height	Pin
M220104	4"	1.5"	1.5"	5/16"




FORGED BOW SHACKLE SS W/CAPTIVE PIN

Made of 304 Stainless Steel

P/N	Size
M300104	D=4mm
M300205	D=5mm
M300306	D=6mm
M300408	D=8mm
M300510	D=10mm



GALVANIZED FLUKE ANCHOR KIT



Made of galvanized steel

P/N	Weight
M360200	4KG
M360300	6KG

ANCHOR



Made of 304 stainless steel

P/N	Weight
M400107A	0.7 KG
M400215A	1.5 KG
M400325A	2.5 KG
M400432A	3.2 KG
M400540A	4 KG
M400660A	6 KG
M400780A	8 KG
M400810A	10 KG
M400912A	12 KG
M401015A	15 KG

BOX ANCHOR



Made of galvanize

P/N	Weight
M390109	9 KG
M390212	12 KG

BRUCE ANCHOR



Made of 316 Stainless Steel

P/N	Weight
M370713A	13KG
M370105A	5KG
M370107A	7.5KG
M370210A	10KG
M370602A	2KG
M370315A	15KG
M370420A	20KG
M370830A	30KG
M370540A	40KG

CHAIN LINK, SWIVELLING

Made of 316 stainless steel

P/N	Length	for chain	Max Load
M350300	3-1/3"	3/8"	850KG
M350400	4-1/2"	1/2"	1350KG
M350500	6"	11/16"	1700KG



CHAIN LINK, SWIVELLING

Made of 316 stainless steel

P/N	Length	for chain	Max Load
M350600	5-1/4"	3/8"	850KG



CHAIN LINK, SWIVELLING

Made of 316 Stainless Steel

P/N	Length	for chain	Max Load
N100141	3-1/2"	1/4"	850KG



DANFORTH ANCHOR

Made of galvanize

P/N	Weight	Length
M360102	2.5KG	17.1"
M360204	4KG	18.9"
M360306	6KG	19.5"
M360408	8KG	22.8"
M360510	10KG	23.2"
M360612	12KG	26.4"
M360720	20KG	34.3"
M360825	25KG	35.2"
M360615	15KG	30.2"



BRUCE ANCHOR



Made of galvanize

P/N	Weight	Length
M370105	5KG	16. 5"
M370107	7. 5KG	18. 5"
M370210	10KG	20. 8"
M370315	15KG	24"
M370420	20KG	26. 8"
M370540	40KG	32. 7"

PLOW ANCHOR

Made of 316 stainless steel or
Galvanized anchor with great
holding power, easy to use



P/N	Weight	Material
M380104A	4KG	SS316
M380206A	6KG	SS316
M380310A	10KG	SS316
M380404	4KG	Galvanized
M380406	6KG	Galvanized
M380410	10KG	Galvanized

STAINLESS STEEL ANCHOR CHAIN



Made of 316 Stainless Steel

P/N	Dia	Working Load	Weight(kg/m)	supplied per
M380106A	6mm	1400KG	0. 80KG	50m
M380108A	8mm	2500KG	1. 40KG	50m
M380110A	10mm	3400KG	2. 20KG	50m

PIVOTING SELF LAUNCHING ANCHOR ROLLER

Made of 304 stainless steel

P/N	Length	Width	Height
M051420	21"	4"	6"



STAINLESS STEEL SHACKLE KEY

Made of 304 stainless steel
Designed to fit all deck plate caps

P/N	Length	Width
N660100	98mm	57mm



90

KAYAK AND SUP CART

Easy solution to carrying long bulky boards and kayaks
Secure board or kayak to the cart with the bungee cord
Attach the suction cup handle grip to easily transport board or kayak
Anodized aluminum frame
Stainless steel hardware

P/N	N260100W
-----	----------



CLEAT/U-BOLT/SKI-TOW

PULL UP CLEAT WITH STUDS



Made of 316 Stainless Steel

P/N	Length	Height
N010145	4.5"	3/4"
N010206	6"	1"

POP-OUT CLEAT


91



Made of 316 Stainless Steel

P/N	Length	Height
N350104	4"	7/8"
N350206	6"	1"
N350308	8"	1-1/4"
N350410	10"	1-1/2"

POP-OUT CLEAT W/DRAIN TUBE



Made of 316 Stainless Steel

P/N	Length	Height
N330104	4.5"	15/16"
N330206	6"	1-1/8"
N330308	8"	1-1/3"

STAINLESS STEEL X-FOLDING CLEAT



Made of 316 Stainless Steel

P/N	Length	Width	H1	H2	Mounting
N360106	156	25	20	38	3x M8x50 (mm)
N360208	202	34	27	57	3xM10x55 (mm)
N360310	256	43	35	69	3xM12x60 (mm)

HELLOW BASE CLEAT

Made of 316 Stainless Steel

P/N	Length	Height
N020106	6"	1-1/4"
N020208	8"	1-1/2"
N020310	10"	1-3/4"
N020404	4"	1"
N020512	12"	2-1/8"



BOW CHOCK BY PAIR

Made of 316 Stainless Steel

P/N	Length	Line size
N030104L/R	4-1/2"	1/2"



92

HORN BOLLARD

Made of 316 Stainless Steel

P/N	Length	Height	Base
N110100	9-1/2"	3-1/6"	7-2/5"*2-3/4"
N110200	11-4/5"	4"	10"*3-1/6"
N110300	13-4/5"	4-1/3"	11-3/4"*3-1/2"



HEAVY DUTY CLEAT

Made of 304 stainless steel

P/N	Length	Height	Base
N120100	6"	1-3/4"	3-1/2"*1-1/4"
N120200	8"	2-1/8"	4-3/4"*1-1/4"
N120300	10"	2-3/4"	6"*1-1/2"
N120400	13"	3-1/8"	6-1/4"*1-1/2"



HEAVY DUTY CLEAT



Made of 304 Stainless Steel

P/N	Length	Height	Base
N130106	6"	1-3/4"	3-1/2"*1-1/4"
N130208	8"	2-1/8"	4-3/4"*1-1/4"
N130310	10"	2-3/4"	6"*1-1/2"
N130412	12"	3-1/8"	6-1/4"*1-1/2"

HEAVY DUTY CLEAT



Made of 304 Stainless Steel

P/N	Length	Height	Base
N140106	6"	1-3/4"	3-1/2"*1-1/4"
N140208	8"	2-1/8"	4-3/4"*1-1/4"
N140310	10"	2-3/4"	6"*1-1/2"
N140412	12"	3-1/8"	6-1/4"*1-1/2"

PULL UP FOLDING CLEAT



Made of 316 Stainless Steel

P/N	Length
N340005	5"
N340106	6"
N340208	8"

LIFTING ADAPTER PLATE



Made of 304 Stainless Steel

P/N	Length	Height	Rod	Threads
N050100	5-1/4"	1-5/8"	1-1/4"	5/8"-11

THREAD ROD

Made of 304 Stainless Steel

P/N	Length
N060185	5/8-11"*36"



LIFT RING

Made of 316 Stainless Steel

P/N	Height	Thread
N070124	3-1/4"	5/8-11"



94

PULL UP FOLDING CLEAT

Made of 316 Stainless Steel

P/N	Length	Eye Dia	Thread
N080106	6"	1-1/16"	5/8-11"



SKI TOW

Made of 304 stainless steel

P/N	Ring OD	Stock	Thread
N040183	2-1/2"	3/8"	2"
N040283	2-1/2"	3/8"	1-1/2"
N040383	3"	3/8"	2"
N040421	3-1/2"	1/2"	2-1/2"



SKI TOW



Made of 316 Stainless Steel.
Nut and washer included. Transom mount.

P/N	Ring OD	Size	Thread	Wire Dia
N040583	1/2"	2-3/8"	3"	3/8"

STAINLESS STEEL FAIRLEAD--BY PAIRS

95



Made of 316 Stainless Steel

P/N	Length	Hole(Max)
N030206	150mm	19mm

STAINLESS STEEL FENDER SNAP HOOK



Made of 316 Stainless Steel

P/N	Bore Dia.	Length	Outside Dimension
N380100	35mm	60mm	47mm

MARINE QUICK RELEASE FENDER LOCK



Made of 316 Stainless Steel

P/N	Dia
N390138	3/8"
N390212	1/2"

Made of 304 Stainless Steel

P/N	Stock Dia	Thread Length	Description
N090183	3/8"	3"	Bow Eye
N090783	3/8"	2-1/2"	Bow Eye
N090283	3/8"	3-7/16"	Bow Eye
N090885	5/8"	5"	Bow Eye
N090985	5/8"	6"	Bow Eye
N090321	1/2"	3-7/16"	Bow Eye
N090421	1/2"	4-3/4"	Bow Eye
N090583	3/8"	3-7/16"	Stern Eye
N090621	1/2"	3-7/16"	Stern Eye

BOW/ STERN EYE



Made of 304 Stainless Steel

P/N	Stock Dia	Thread Length
N260100	3/8"	3-1/8"
N260200	3/8"	2-1/8"
N260300	3/8"	2-5/8"
N260400	1/2"	2-7/8"
N260500	1/2"	2-1/8"
N260600	1/2"	3-3/8"
N260700	1/2"	4-1/8"
N260800	5/8"	5-1/2"
N260900	5/8"	3-1/2"

STERN EYE WITH WELDING PLATE



Made of 304 Stainless Steel

P/N	Stock Dia	Thread Length
N270100	M5	13.8"
N270200	M6	13.8"
N270300	3/16"	1/2"
N270400	1/4"	1/2"

BOW EYE



BOW EYE WITH PLATE

Made of 304 Stainless Steel

P/N	Plate Angle	U-BOLT
N280100	According to Customer's Request	According to Customer's Request



MOORING SPRING



Made of 304 Stainless Steel.

P/N	Dia	Length
N150100	3/16"	10-5/8"
N150200	1/4"	13-3/16"
N150300	1/4"	14-9/16"

HOOKS FOR SHOCK CORD



Made of 304 Stainless Steel

P/N	Wire	Dia
N160100	0.05"	0.24"
N160200	0.078"	0.31"
N160300	0.1"	0.39"
N160400	0.12"	0.47"
N160500	0.063"	0.2"

BOLLARDS WITH BASEPLATE



Made of 316 Stainless Steel

P/N	Dia	Height	Width
M230150	2"	3.74"	5.12"
M230260	2.4"	4.72"	6.3"
M230370	2.75"	5.95"	7.1"
M230380	3.15"	6.77"	7.87"

BOLLARDS FOR DIRECT WELDING



Made of 316 Stainless Steel

P/N	Dia	Height	Width
M240150	2"	3.74"	5.12"
M240260	2.4"	4.72"	6.3"
M240370	2.75"	5.95"	7.1"
M240380	3.15"	6.77"	7.87"

MOORING BITT

Made of 304 Stainless Steel

P/N	Base	Height
M250108	8"*4-1/2"	7-1/4"



MOORING BITT

Made of 304 Stainless Steel

P/N	Base	Height
M260100	4-3/4"*10-1/4"	6-5/16"



CAST ALUMINUM "S" DOCK CLEA

Made of aluminnum

P/N	Size
N021010	5mm
N021012	6mm
N021015	8mm



JAW END SWIVEL



made of 316 stainless steel

P/N	Size
M340105A	5mm
M340106A	6mm
M340108A	8mm
M340110A	10mm
M340112A	12mm

JAW END SWIVEL



made of 316 stainless steel

P/N	Size
M330006A	6mm
M330108A	8mm
M330110A	10mm
M330112A	12mm
M330114A	14mm

HATCH HOLDER/BRACKET

ANGLE BRACKET

Made of 304 Stainless Steel

P/N	Length	Height
P120100	11-4/5"	7-7/8"



CONNECTOR FOR GAS SPRING--SET OF 2

Made of 316 Stainless Steel

P/N	Diameter	Connected Stud	Connected Way
S080100	10mm	M8	Ball Joint
S080200		M8	Eye Nut



100

HATCH HOLDER

Made of 304 Stainless Steel

P/N	Dia	Length	Description
P010122	7/8"	12-1/2"	Internal Cable



HATCH SPRING HOLDER

Made of 304 Stainless Steel

P/N	Dia	Length	Description
P020114	9/16"	10-1/4"	Internal Cable
P020211	7/16"	8-1/4"	
P020314	9/16"	10-1/4"	
P020411	7/16"	8-1/4"	Internal Cable



TABLE BRACKET



Made of 304 Stainless Steel.

P/N	Length	Height	Max Load
P070200	12"	6-1/2"	150kg

TABLE BRACKET



Made of 304 Stainless Steel

P/N	Length	Height	Max Load
P070300	12"	6-1/2"	250kg

TABLE BRACKET



Made of 304 Stainless Steel
One Set Includes Two Wall Brackets
And Two Table Brackets

P/N	Wall Bracket	Table Bracket
J340100	2-1/8"*3-3/8"	1-3/4"*2-3/4"

GAS SPRING MOUNTING BRACKET



Made of 316 Stainless Steel

P/N	Ball Stud	Angle	Base
P082003	10mm	0°	2.25" (W)

HATCH SPRING ADJUSTER

Made of 304 Stainless Steel				
P/N	Dia	Length	Description	
P030111	7/16"	8-1/4"		
P030211	7/16"	8-1/4"	Internal Cable	
P030314	9/16"	10-1/4"		
P030414	9/16"	10-1/4"	Internal Cable	



HATCH ADJUSTER

Made of 304 Stainless Steel			
P/N	Width	Length	
P030500	0.59"	6.2"	
P030600	0.59"	8"	
P030700	0.59"	10.25"	



102

SWIM PLATFORM MOUNTING BRACKET

Made of 304 Stainless Steel				
P/N	Length	Height	Width	Degree
P050100	6"	12"	1-1/2"	12°
P060100	7"	14"	1-1/2"	12°
P060200	9"	17"	1-1/2"	12°
P060300	14"	21"	1-1/2"	12°




TABLE BRACKET

Made of 304 Stainless Steel			
P/N	Length	Height	Max Load
P070100	12"	6-1/2"	150kg



GAS SPRING MOUNTING BRACKET



Made of 316 Stainless Steel

P/N	Ball Stud	Angle	Base
P082001	10mm	90°	2"*1.2"

GAS SPRING MOUNTING BRACKET



Made of 316 Stainless Steel

P/N	Ball Stud	Angle	Base
P082002	10mm	90°	2"*0.65"

103

DISTRIBUTION BOX BRACKET



Made of aluminum

P/N
P090100

STAINLESS STEEL GAS SPRING

Made of 316 Stainless Steel.

Cylinder Diameter: 18mm; Rod Diameter: 8mm.

P/N	Length	Capacity	Connected Way
P080100	290-500mm	20kg	Eye Nut
P080200	290-500mm	20kg	Ball Joint
P080300	320-550mm	35kg	Eye Nut
P080400	320-550mm	35kg	Ball Joint
P080500	320-550mm	64kg	Eye Nut
P080600	320-550mm	64kg	Ball Joint
P080700	290-500mm	40kg	Eye Nut
P080800	290-500mm	40kg	Ball Joint
P080900	350-600mm	50kg	Eye Nut
P081000	350-600mm	50kg	Ball Joint
P081100	170-250mm	18kg	Eye Nut
P081200	170-250mm	18kg	Ball Joint
P081300	225-355mm	25kg	Eye Nut
P081400	225-355mm	25kg	Ball Joint
P081500	350-600mm	30kg	Eye Nut
P081600	350-600mm	30kg	Ball Joint



3-STAGE TABLE MOUNT

Made of aluminnum

P/N
P130100



ROD HOLDER

ROD HOLDER



Made of 316 Stainless Steel

P/N	Diameter	Length
Q220100A	2"	9.25 "

ROD HOLDER



Made of 316 Stainless Steel

P/N	Diameter	Length
Q220300A	2"	9.25 "

ROD HOLDER



Made of 304 Stainless Steel

P/N	Length	ID	Flange
Q030100	9"	1-1/2"	30°

ROD HOLDER W/CAP



Made of 304 Stainless Steel

P/N	Length	ID	Flange	Direction
Q040100	9"	1-1/2"	30°	top-down
Q040200	9"	1-1/2"	30°	down-top
Q040300	9"	1-1/2"	90°	

CLAMP-ON ROD HOLDER

Made of 304 Stainless Steel
Adjustable For 7/8"-1" Tube

P/N	Length	ID
Q050100	9"	1-5/8"



CLAMP-ON ROD HOLDER

Made of 304 Stainless Steel
Adjustable For 7/8"-1" Tube

P/N	Length	ID
Q050300	8"	1-5/8"



106

SIDE MOUNT ROD HOLDER

Made of 304 Stainless Steel

P/N	Length	ID	Direction
Q060100	10"	1-1/2"	Comes with Black Collar
Q060200	10"	1-1/2"	Comes with White Collar



OUTRIGGER ROD HOLDERS

Made of 304 Stainless Steel
with rubber mounting pad

P/N	Base Flange	ID	Direction
Q070100	2-1/2"*5"	1-1/7"	Outrigger Pole Holders
Q070200			Tube Only
Q070300			Base only



VERTICAL MOUNT FISHING HOLDER



Made of 304 Stainless Steel

P/N	Length	ID	Flange
Q080100	9"	1-3/4"	45°

107

PLASTIC ROD HOLDER W/SS COVER



Made of Injection
Molded Nylon W/CAT#304 PVC Cover

P/N	Length	ID	Color
Q090100	9-1/2"	1-3/4"	Black
Q090200	9-1/2"	1-3/4"	White
Q090300	9-1/2"	1-3/4"	Black+lid
Q090400	9-1/2"	1-3/4"	White+lid

ROD HOLDER



Made of 316 Stainless Steel

P/N	Diameter	Length
Q220200A	2"	13.39"

RACK ROD HOLDER - UV STABILIZED PLASTIC



Made of Plastic pp

P/N	Length	ID	Height	Depth	Tube
Q100102	8-3/4"	1-5/8"	12"	2-5/8"	2
Q110103	12-7/8"	1-5/8"	12"	2-5/8"	3

ROD HOLDER SIDE MOUNT - UV STABILIZED PLASTIC

Made of Plastic pp W/SS Mounting Clamps

P/N	ID	Height	Description
Q120101	1-5/8"	12"	With 2 clamps& screws
Q120201	1-5/8"	12"	



BRACKET LAUNCHER 4 ROD

Made of 304 stainless steel

P/N	Length	ID
Q130100	36-1/2"	1-1/2"



108

OUTRIGGER ROD HOLDER

Made of 304 Stainless Steel

P/N	Rod holder ID	Rod holder Length	Length
Q140100	1-1/2"	11-1/2"	19-1/2"



MULTIPLE ROD HOLDER

Made of 6061 AL/304 Stainless Steel

P/N	M ' L	Rod holder Length	Length
Q150100	6061 AL	1-3/4"	24-7/8"
Q150200	S. S. 304	1-3/4"	24-7/8"



REMOVABLE ROD HOLDER



Made of 304 Stainless Steel

P/N	Mount bracket	ID	Tube L
Q160100	4"*3-11/16"	1-1/2"	8-1/2"

CLAMP-ON ROD HOLDER



Made of 316 Stainless Steel
Adjustable For 1", 1-1/4" or 1-1/2" Tube

P/N	Length	ID	Tube OD
Q180025	10"	2"	1"
Q180114	10"	2"	1-1/4"
Q180212	10"	2"	1-1/2"

FISHING ROD HOLDER



Made of 316 Stainless Steel

P/N	Length	Diameter	Installed Way
Q170100	260mm	45mm (Max)	Side Mount

FISHING ROD HOLDER-INTEGRATED



Made of Plastic pp

P/N	Length	ID	Height	Depth	Hole
Q110113	12-7/8"	1-5/8"	12"	2-5/8"	3
Q100112	8-3/4"	1-5/8"	12"	2-5/8"	2

FENDER HOLDER

SINGLE FENDER HOLDER

Made of 304 Stainless Steel

P/N	Fender Dia	Dia	Height
N170100	5.6"	7.13"	13.85"
N170200	8.5"	9.5"	15.2"
N170300	10.5"	11.13"	18.9"



LIFEBUOY BRACKET

Made of 316 Stainless Steel and
Nylon Rope for lifebuoy light

P/N
N360100



110

DOUBLE FENDER HOLDER

Made of 304 Stainless Steel

P/N	Fender Dia	Dia	Height
N180100	6.5"	7.13"*14.26"	13.3"
N180200	8.5"	9.5"*19"	14.6"
N180300	10.5"	11.3"*22.26"	17.5"



DOUBLE FENDER HOLDER

Made of 304 Stainless Steel

P/N	Size	Fender	Height
N210100	7.5*15"	7"	11.5"
N210200	9.5*19"	9"	14.67"
N210300	11.5*23"	11"	17.5"



THRICE FENDER HOLDER



Made of 304 Stainless Steel

P/N	Size	Fender	Height
N220100	9.5"*28.5"	9"	14.67"
N220200	11.5"*34"	11"	17.5"

SINGLE FENDER BRACKET



Made of 304 Stainless Steel

P/N	Rail	Fender
N190100	7/8"or 1"	7.5"
N190200	7/8"or 1"	9.8"
N190300	7/8"or 1"	11.5"

LAMP SERIES

LED UNDERWATER LIGHT STRIP

P/N	Size	LEDs	Color
G010104	4"	6	White
G010206	6"	10	White
G010308	8"	12	White
G010404	4"	6	Blue
G010506	6"	10	Blue
G010608	8"	12	Blue
G010704	4"	6	Red
G010806	6"	10	Red
G010908	8"	12	Red
G011004	4"	6	Green
G011106	6"	10	Green
G011208	8"	12	Green



DOME LIGHT Brass w/teak base

P/N	Diameter	Height	Base Dia.	Bulb
G110100	4"	1-5/8"	5-1/2"	12V 15W
G110200	5"	2"	6-3/4"	12V 15W



112

DOME LIGHT

Made of 304 Stainless Steel

P/N	Diameter	Height	BaseDia	Bulb
G020103	3"	1-1/2"	4-1/2"	LED
G020104	4"	1-5/8"	5-1/2"	LED
G020205	5"	2"	6-3/4"	LED
G020303	3"	1-1/2"	4-1/2"	12V, 8W
G020304	4"	1-5/8"	5-1/2"	12V, 15W
G020405	5"	2"	6-3/4"	12V, 15W
G020504	4"	1-5/8"	5-1/2"	Red/White
G020605	5"	2"	6-3/4"	Red/White



Made of 304 Stainless Steel

VENTED DOME LIGHT

P/N	Diameter	Height	BaseDia	Bulb
G020705	5"	2"	6-3/4"	12V, 15W
G020804	4"	1-5/8"	5-1/2"	12V, 15W
G020903	3"	1-1/2"	4-1/2"	12V, 8W
G021005	5"	2"	6-3/4"	LED
G021004	4"	1-5/8"	5-1/2"	LED
G021003	3"	1-1/2"	4-1/2"	LED
G021104	4"	1-5/8"	5-1/2"	Red/White
G021105	5"	2"	6-3/4"	Red/White



DOME LIGHT



Made of 304 stainless steel plating titanium

P/N	Diameter	Height	BaseDia	Bulb
G021303	3"	1-1/2"	4-1/2"	12V, 8W
G021304	4"	1-5/8"	5-1/2"	12V, 15W
G021305	5"	2"	6-3/4"	12V, 15W
G021403	3"	1-1/2"	4-1/2"	LED
G021404	4"	1-5/8"	5-1/2"	LED
G021405	5"	2"	6-3/4"	LED
G021504	4"	1-5/8"	5-1/2"	Red/White
G021505	5"	2"	6-3/4"	Red/White

VENTED DOME LIGHT



Made of 304 stainless steel plating titanium

P/N	Diameter	Height	BaseDia	Bulb
G021603	3"	1-1/2"	4-1/2"	12V, 8W
G021604	4"	1-5/8"	5-1/2"	12V, 15W
G021605	5"	2"	6-3/4"	12V, 15W
G021703	3"	1-1/2"	4-1/2"	LED
G021704	4"	1-5/8"	5-1/2"	LED
G021705	5"	2"	6-3/4"	LED
G021804	4"	1-5/8"	5-1/2"	Red/White
G021805	5"	2"	6-3/4"	Red/White

DOME LIGHT



Made of 304 Stainless Steel and White Powder Coating

P/N	Diameter	Height	BaseDia	Bulb
G021904	3"	1-1/2"	4-1/2"	12V, 8W
G022005	4"	1-5/8"	5-1/2"	12V, 15W
G022105	5"	2"	6-3/4"	12V, 15W

REPLACEMENT BULB



Made of 304 Stainless Steel

P/N	Description	Color
G031015	12V 15W	Red
G031025	12V 15W	White

REPLACEMENT LED BULB

E10 lamp holder 3V 0.6W
P/N G030300



PORTABLE BATTERY OPERATED LIGHT-BOW LIGHT

Using 2Pcs 3# batteries

P/N	Description
G040100	Bulb
G040500	LED



114

PORTABLE BATTERY OPERATED LIGHT-BOW LIGHT

Using 2Pcs 3# batteries

P/N	Description
G040200	Bulb
G040600	LED



PORTABLE BATTERY LIGHT- STERN LIGHT 24"

Using 2Pcs 3# batteries

P/N	Description
G040300	Bulb
G040700	LED




PORTABLE BATTERY LIGHT-BOW SUCTION



Using 2Pcs 3# batteries

G040400	Bulb
G040800	LED

LED COURTESY INTERIOR LIGHT



optional white and chrome decorative cover

P/N	Diameter	Color
G050104	3"	White
G050204	3"	Red
G050304	3"	Blue

115

TRANSOM LIGHT



Made of 304 Stainless Steel

P/N	Lens	Base Dia.	Bulb
G080206	White	3"	12V 8W
G080207	Red	3"	12V 8W
G080208	White	3"	LED
G080209	Red	3"	LED

NAVIGATION LIGHT



Made of 304 Stainless Steel

P/N	Description	Bulb
G090100	Stem Light (Transparent)	12V 8W
G090200	Bow Light (Red/green)	12V 8W
G090300	Side Light (Green)	12V 8W
G090400	Side Light (Red)	12V 8W
G090500	Stem Light (Transparent)	LED
G090600	Bow Light (Red/green)	LED
G090700	Side Light (Green)	LED
G090800	Side Light (Red)	LED

LED NAVIGATION LIGHT 12VDC 1W



Made of Plastic. For boats up to 39.4ft (12m). IP 66. Housing: WHLD-White / LD-Black
Warm White LED in colored lenses. Cool White LED in clear lenses. Vertical mount.

P/N	Description	Visibility	LED (SMD 5050)	Lumen
G011021-WHLD	Green Starboard Light 112.5°	1 NM	6 pcs warm white	8 LM
G011022-WHLD	Red Port Light 112.5°	1 NM	6 pcs daylight white	7 LM
G011023-WHLD	White Masthead Light 225°	2 NM	6 pcs daylight white	67 LM
G011024-WHLD	White Stern Light 135°	2 NM	6 pcs warm white	55 LM
G011025-WHLD	Bi-Color Bow Light 225°	2 NM	6 pcs warm white	11 LM
G011021-LD	Green Starboard Light 112.5°	1 NM	6 pcs warm white	8 LM
G011022-LD	Red Port Light 112.5°	1 NM	6 pcs daylight white	7 LM
G011023-LD	White Masthead Light 225°	2 NM	6 pcs daylight white	67 LM
G011024-LD	White Stern Light 135°	2 NM	6 pcs warm white	55 LM
G011025-LD	Bi-Color Bow Light 225°	2 NM	6 pcs warm white	11 LM

116


LED NAVIGATION LIGHT 12VDC 0.54W



Made of Plastic and S.S.304. For boats up to 39.4ft (12m) . Housing: WHLD-White / LD-Black
5Φ LED with colored lens . Bi-color light 0.8W. IP 66.

P/N	Description	Visibility	LED (SMD 5050)	Lumen
G011011-LD	Green Starboard Light 112.5°	1 NM	9 pcs green	10 LM
G011012-LD	Red Port Light 112.5°	1 NM	9 pcs red	11 LM
G011013-LD	White Masthead Light 225°	2 NM	9 pcs white	98 LM
G011014-LD	White Stern Light 135°	2 NM	9 pcs white	53 LM
G011015-LD	Bi-Color Bow Light 225°	2 NM	6 pcs green + 6 pcs red	10 LM
G011011-WHLD	Green Starboard Light 112.5°	1 NM	9 pcs green	10 LM
G011012-WHLD	Red Port Light 112.5°	1 NM	9 pcs red	11 LM
G011013-WHLD	White Masthead Light 225°	2 NM	9 pcs white	98 LM
G011014-WHLD	White Stern Light 135°	2 NM	9 pcs white	53 LM
G011015-WHLD	Bi-Color Bow Light 225°	2 NM	6 pcs green + 6 pcs red	10 LM

NAVIGATION LIGHT 12VDC 1.5W



Made of S.S.316 and PC base. For boats up to 39.4ft(12m). Horizontal mount. Warm White LED in colored lenses. Wattage: Bi-color light 2.2W. IP 66.

P/N	Description	Visibility	LED (SMD 2835)	Lumen
G011090 (pair)	Green Starboard Light 112.5°	1 NM	8 pcs warm white	11 LM
	Red Port Light 112.5°	1 NM	8 pcs warm white	5 LM
G011095	Bi-Color Bow Light 225°	2 NM	12 pcs warm white	11 LM

LED NAVIGATION SIDELIGHT 112.5° 1NM




117

Made of Plastic. For boats up to 39.4ft(12m). IP 66. Vertical mount.


P/N	Housing	Description	Voltage Wattage	LED (5 Φ)	Lumen
G011003	Black	Green Starboard Light	12 VDC/0.8W	12 pcs green	56 LM
		Red Port Light		12 pcs red	19 LM
G011004	Black	Green Starboard Light	12 VDC/0.8W	12 pcs green	38 LM
		Red Port Light		12 pcs red	12 LM
G011005-WH	White	Green Starboard Light	12-24 VDC/ 2W	15 pcs white	16 LM
		Red Port Light		15 pcs white	10 LM
G011005-BK	Black	Green Starboard Light	12-24 VDC/ 2W	15 pcs white	16 LM
		Red Port Light		15 pcs white	10 LM

LED NAVIGATION LIGHT 12VDC 1NM



Made of Stainless Steel. For boats up to 39.4ft (12m). IP66.Horizontal mount . Red and Green LED in clear lenses .

P/N	Wattage	Description	LED	Lumen
G011006(pair)	1W	Green Starboard Light 112.5°	2 pcs green	90 LM
	1W	Red Port Light 112.5°	2 pcs red	33 LM
G011007	2W	Bi-Color Bow Light 225°	2 pcs green+2 pcs red	110 LM




LED NAVIGATION LIGHT 12VDC 2NM



Made of Stainless Steel. For boats up to 69.6ft (20m). IP66.Horizontal mount . Red and Green LED in clear lenses .

P/N	Wattage	Description	LED	Lumen
G011200(pair)	1.7W	Green starboard light 112.5°	2 pcs green	90 LM
	1.7W	Red Port light 112.5°	2 pcs red	33 LM
G011205	3.4W	Bi-Color bow light 225°	2 pcs green+2 pcs red	110 LM




BI-COLOR BOW LIGHT 12VDC 225°




For boats up to 39.4 ft (12m).IP65. Surface mount .Colored lens .

P/N	Material	Bulb Type	Visibility	Voltage Wattage	Lumen
G011072	Chrome-plated zinc	LED (12 pcs 5 Φ)	1NM	12 VDC / 0.7W	5 LM
G011073	Stainless Steel	LED (24 pcs "2835")	2NM	10-30 VDC / 2W	50 LM



STERN LIGHT 12VDC 2.2W 2 NM



Made of 304 Stainless Steel. For boats up to 65.6 ft (20m). IP66.

P/N	Description	Bulb Type	Color	Lumen
G011053	Round Stern Light 135°	LED (6 pcs SMD 2835)	Cool White	147 LM
G011053W	Round Stern Light 135°	LED (6 pcs SMD 2835)	Warm White	147 LM
G011055	Round Stern Light 135°	LED (6 pcs SMD 2835)	Bule	35 LM
G011062	Rectangle Stern Light 135°	LED (6 pcs SMD 2835)	Cool White	170 LM


LED ALL-ROUND LIGHT 12VDC 1.5W 2NM



Made of Plastic and Stainless Steel. For boats up to 65.6ft (20m) . IP 65.
Color Temperature: Daylight White 4000-4500K Angle: 360 ° Lumen:78 LM

P/N	Telescopic	Overall Length	Certificate
G011189-4	Fixed mount	4" (106 mm)	USCG 2NM
G011189-7	Fixed mount	7-1/2" (186 mm)	USCG 2NM
G011289-9N	Adjustable mount	9-1/2" (241 mm)	USCG 2NM
G011289-25N	Adjustable mount	25" (635 mm)	USCG 2NM
G011589-24	Plug-in mount	24" (593 mm)	USCG 2NM
G011589-24 B	Plug-in with base	24" (593 mm)	USCG 2NM
G011689	Plug-in mount	28-1/4"— 50-1/2"	USCG 2NM
(Telescopic Aluminum Pole)		(718-1283 mm)	

LED ALL-ROUND LIGHT SERIES 12-24VDC



Made of Plastic and Stainless Steel. For boats up to 65.6ft (20m) .
IP 65. Wattage:2.5W Bulb Type :LED

P/N	Base	Height	Base color	Lumen
G011180	Fixed mount	8" (198 mm)	Black	250 LM
G011280	Adjustable mount	10" (252 mm)	Black	250 LM
G011280-25	Adjustable mount	25" (635 mm)	Black	250 LM
G011380	Adjustable mount	16" (407 mm)	Black	250 LM
G011580	Plug-in mount	24" (604 mm)	Black	250 LM

LED BI-COLOR LIGHT 12VDC 1.5W



Made of Plastic and Stainless Steel. For boats up to 39.4ft (12m) . IP 65.
Color Temperature: Daylight White 4000-4500K

P/N	Bulb Type	Base	Height	Base color	Lumen
G011502	LED	Plug-in mount	12" (306 mm)	Black	15 LM
G011512	LED	Fixed mount	4" (99 mm)	Black	15 LM
G011512-WH	LED	Fixed mount	4" (99 mm)	White	15 LM

LED NAVIGATION SIDELIGHT 12VDC 1W



Made of 304 Stainless Steel. For boats up to 39.4 ft (12m). IP66.
LED(SMD 5050):3 pcs greenFlush mount . Colored LED in clear lens .

P/N	Type	Angle	Visibility	Lumen
G011002 (Pair)	Green Starboard light	112.5°	1NM	62 LM
	Red Port light	112.5°	1NM	19 LM

SURFACE MOUNT HULL LIGHT



120

LED Wattage:3.5 W. Voltage: 12 VDC IP:66 Illumination 300 Candela
Bezel : 316 Stainless Steel UV resistant. Surface mount

P/N	Color Temperature	Dims. (L x Wx H)
GM-EP-L 0741(pair)	6300 k	105x62x34mm

LED ALL-ROUND LIGHT SERIES 12-24VDC



Made of Plastic and Stainless Steel. For boats up to 65.6ft (20m). IP 65.
Color Temperature: Daylight White 4000-4500K Wattage:2.5 W Lumen:250 LM

P/N	Base color	Base	Height
G011042	Black	Fixed mount	1-3/4" (71 mm)
G011142	Black	Fixed mount	4-7/8" (124 mm)
G011142-WH	White	Fixed mount	4-7/8" (124 mm)
G011142-12	Black	Adjustable mount	12-1/2" (318 mm)
G011242-9	Black	Adjustable mount	9-1/2" (248 mm)
G011242-25	Black	Adjustable mount	25" (642 mm)
G011342-16	Black	Plug-in mount	16" (403 mm)
G011542-24	Black	Plug-in mount	24" (600 mm)
G011542-36	Black		36" (905 mm)

LED ALL-ROUND LIGHT SERIES 12-24VDC



Made of Plastic and Stainless Steel. For boats up to 65.6ft (20m). IP 65 Lumen: 250 LM Color Temperature: Daylight White 4000-4500K. Wattage:2.5W Base color: Black

P/N	Base	Height
G011162-D	Fixed mount	4-7/8" (124 mm)
G011262-D	Adjustable mount	9-1/2" (248 mm)
G011262	Adjustable mount	9-1/2" (248 mm)
G011362	Plug-in mount	16" (403 mm)
G011562	Plug-in mount	24" (600 mm)
G011662	Adjustable mount	28-1/4"~50-1/2" (718-1283 mm)
(Telescopic Aluminum Pole)		

TRI-COLOR LIGHT 12-24VDC 2 NM 2.5W



Made of Stainless Steel Tube. For boats up to 65.6ft (20m) . Angle:360° Overoll Length : 241 mm Lumen: 250 LM Bulb Type:LED

P/N	Mount Base	color
G011082-LD	Adjustable	White
G011083-LD	Adjustable	Red + Green + White


ALL-ROUND LIGHT 12-24VDC 2.5W



Made of Plastic and Stainless Steel. For boats up to 65.6ft (20m). Lumen: 206 LM Color Temperature: Daylight White 4000-4500K Bulb Type:LED Base color:Black IP 65.

P/N	Base	Height
G011081-LD	Fixed mount	9" (318 mm)
G011181-LD	Adjustable mount	9-1/2" (248 mm)
G011381-LD	Plug-in mount	16" (403 mm)
G011581-LD	Adjustable mount	24" (600 mm)


ALL-ROUND AND MASTHEAD LIGHT 2NM



Made of Stainless Steel Tube. For boats up to 39.4 ft (12m). Angle:225/360° Voltage : 12 VDC

P/N	Bulb Type	Base	Height	Wattage	Lumen
G011185	Tungsten lamp	Fixed mount	4" (99 mm)	8 W × 2	/
G011185D	LED	Fixed mount	12" (293 mm)	3.1 W	186 LM
G011185L	Tungsten lamp	Fixed mount	12" (293 mm)	8 W × 2	/
G011185LD	LED	Fixed mount	10" (259 mm)	3.1 W	186 LM
G011186	Tungsten lamp	Adjustable mount	10" (259 mm)	8 W × 2	/
G011186D	LED	Adjustable mount	4" (99 mm)	3.1 W	186 LM

LED UNDERWATER LIGHT 12W




High quality S.S.316 under water light are designed to be internal driver, easy to installed on the boat surface. LED Power : 6 × 3 W Water Proof Level: IP68 Cover Material: S.S.316 polished Working Voltage: 10-30 VDC Mount Type: Surface mount Diameter: 3"-2/3"(92.8mm) Viewing Angle: 90°

P/N	LED Lumen	Color	Color Temperature	Effective Lumen
G019018	6 × 170 LM	White	5500-6300 K	590 LM
G019019	6 × 35 LM	Bule	/	125 LM

122


LED MULTI-COLOR UNDERWATER LIGHT



Working Voltage: 12-24 VDC. Water Proof Level: IP68.Cover Material: S.S.316 polished. Viewig Angle : 90° Mount Type: Surface mount.Diameter: 3"-2/3"(92.8mm). RF remote control (433 MHz)/ switch control. RGBW+7 MUTI-colors. 4 type mode. Unlimited number of lamps change color at the same time.

P/N	Type	LED Lumen	LED Type	LED power
G019021	Muti-Color	R:180LM, G:480LM, B:102LM, W:540LM	4×1W RGBW LED	6×4W
G019021-C	Main Controller	/	/	/
G019021-C1	Vice Controller	/	/	/


LED UNDERWATER LIGHT 90°



High quality under water light are designed to be internal driver, easy to installed on the boat surface. Working Voltage: 10-30 VDC
Cover Material: S.S.316 polished Mount Type: Surface mount Water Proof Level: IP68

P/N	Color	LED Power	Output (W)	LED Lumen	Length Inch/Meter	Effective Lumen
G019001	White	27×0.2 W	3.6 W	27×24 LM	3-5/6'' (95.5 mm)	343 LM
G019002	Blue	27×0.2 W	3.6 W	27×6 LM	3-5/6'' (95.5 mm)	74 LM
G019003	White	27×0.2 W	3.6 W	27×23 LM	3-5/6'' (95.5 mm)	340 LM
G019002-WB	Blue	27×0.2 W×2			3-5/6'' (95.5 mm)	
G019004	Green	39×0.2 W	5.2 W	39×190 LM	4-3/4'' (120 mm)	710 LM
G019005	White+Blue	39×0.2 W	5.2 W	39×35 LM	4-3/4'' (120 mm)	159 LM


LED UNDERWATER LIGHT 60°



Working Voltage: 12 VDC Water Proof Level: IP68 Mount Type: Surface mount
Housing Material : PC Length Inch/Meter : 3-1/2" (89 mm) Housing Material: PC

P/N	Color	LED Power	Output (W)	LED Lumen	Effective Lumen
G018005-WH	White	6 × 0.2 W	1.1 W	6 × 24 LM	98 LM
G018005-BU	Blue	6 × 0.2 W	1.1 W	6 × 6 LM	18 LM


LED TRIM TABTRASOM UNDERWATER LIGHT BAR



High quality under water light are designed to be internal driver, easy to installed on the boat surface.
Working Voltage: 12-24 VDC Water Proof Level: IP68 Mount Type: Surface mount
Length Inch/Meter : 9-5/6" (250 mm) Housing Material : PC Viewig Angle: 30°


P/N	Color	LED Power	Output (W)	LED Lumen	Effective Lumen
G019007	one pair white	21 × 0.2 W	2.4 W	21 × 24 LM	314 LM
G019008	one pair blue	21 × 0.2 W	2.4 W	21 × 6 LM	62 LM

LED MULTI-COLOR UNDERWATER LIGHT



Working Voltage: 12 VDC Water Proof Level: IP68 Mount Type: Plug mount
Material : Brass Thread Inch : 1/2"NPT

P/N	Color	LED Power	Output (W)	Effective Lumen	Voltage	Viewig Angle
G019011	White	2 × 0.5 W	0.4 W	16 LM	12 VDC	60°
G019012	Blue	2 × 0.5 W	0.4 W	3 LM	12 VDC	60°
G019014	White	1 × 7 W	6 W	538 LM	10 – 30 VDC	75°
G019015	Blue	1 × 7 W	6 W	97 LM	10 – 30 VDC	75°




LED OBLONG COURTESY LIGHT 12VDC



124

Made of S.S.316 and PC base. Wattage : 0.5 W. Flush mount .
Mo l q b` q f l k d o ^ a b 7 F M 34 I B A M l t b o 7 O Ö - + / T

P/N	Color & Color Temperature	Effective Lumen
G013106-CWH	Cool White (5500-6300 k)	32 LM
G013106-BU	Warm White (2900-3200 k)	5 LM
G013106-WH	Bule	32 LM



LED COURTESY LIGHT



Made of S.S.304. Working Voltage: 12 VDC Protection grade : I P 67
T ^ q q ^ d b 7 - + 03 T + J l r k q Q v m b 7 C i r p e j l r k q + I B A M l t b o 7 / Ö - + / T

P/N	Material	Color & Color Temperature	Effective Lumen
G013041C	PC	Cool White (5500-6300 k)	12.5 LM
G013042	PC	Bule	2 LM
G013044C	PC+S. S. 304	Cool White (5500-6300 k)	11 LM
G013045	PC+S. S. 304	Bule	2 LM

LED COURTESY LIGHT



Working Voltage: 12 VDC Mount Type: Surface mount . Wattage : 1.2 W.
Made of S.S.304 and PC Protection Grade : IP 67.

P/N	Color & Color Temperature	LED Power	Effective Lumen
G012081	Cool White (5500-6300 k)	6 × 0.2 W	83 LM
G012082	Bule	6 × 0.2 W	22 LM

LED COURTESY LIGHT



Working Voltage: 12 VDC Mount Type: Surface mount . LED:5 PCS
Wattage : 0.5 W. Material : PC Protection Grade : IP 65


P/N	Color & Color Temperature	LED	Effective Lumen
G013051	Warm White (2900-3200 k)	5 PCS	38 LM
G013052	Blue	5 PCS	12 LM

LED COURTESY LIGHT



Working Voltage: 12 VDC Mount Type: Flush mount . Wattage : 0.5 W.
J ^qbof^i 7 M@ Mo lqb`qf l k Do^ab 7 FM 34 IBA MI t bo7 0 Ö -+ / T

P/N	Housing Color	Color & Color Temperature	Effective Lumen
G013106-CWHW	White	Cool White (5500-6300 k)	32 LM
G013106-BUW	White	Warm White (2900-3200 k)	5 LM
G013106-CWHB	White	Bule	32 LM
G013106-WHW	Black	Cool White (5500-6300 k)	32 LM
G013106-WHB	Black	Warm White (2900-3200 k)	32 LM
G013106-BUB	Black	Bule	5 LM




LED LICENSE/COURTESY LIGHT



Working Voltage: 12 VDC Mount Type: Flush mount . Wattage : 0.6 W.
J ^qbof^i 7 M@ Mo l qb`qf l k Do^ab 7 FM 34 IBA MI t bo7 0 Ö -+ / T +

P/N	Housing Color	Color & Color Temperature	Effective Lumen	lens
G013108-WH	White	Cool White (5500-6300 k)	46 LM	White
G013118-WH	White	Bule	7 LM	White
G013008-BK	Black	Cool White (5500-6300 k)	46 LM	Clear
G013108-BK	Black	Bule	7 LM	White
G013118-BK	Black	Cool White (5500-6300 k)	46 LM	White

LED COURTESY LIGHT




126

Voltage: 12 VDC Mount Type: Flush mount . Wattage : 0.4 W.
J ^qbof^iM@ (Pq^fkibpp Pqbbi Mo l qb`qf l k Do^ab 7 FM 34+ IBA MI t bo7 1 Ö -+ / T

P/N	Housing Color	Color & Color Temperature	Effective Lumen
G013107-WH	White Cool	White (5500-6300 k)	18 LM


LED COURTESY LIGHT



Working Voltage: 12 VDC Mount Type: flush mount .
Wattage : 0.2 W. Material : PC Protection Grade : IP 68

P/N	Color & Color Temperature	Effective Lumen
G013011	Cool White (5500-6300 k)	12.5 LM
G013012	Blue	2 LM
G013021	Cool White (5500-6300 k)	11 LM
G013023	Blue	2 LM


LED COURTESY LIGHT



Working Voltage: 12 VDC Mount Type: Flush mount . Wattage : 0.21 W.
J ^qbof^i 7 M@ Mi^qfk d Mo l qb`qf l k Do^ab 7Pmi^pemo l l c IBA MI t bo7 . Œ -+ / T

P/N	Color & Color Temperature	Effective Lumen
G013101	Cool White (5500-6300 k)	2 LM


LED CEILING LIGHT



Working Voltage: 12 VDC . Mount Type: Flush mount IP Rating: IP66.
IBA MI t bo7 0 Œ -+ / T+ T ^qq^db 7 -+2 T+

P/N	Material	Color & Color Temperature	Effective Lumen
G013031	PC	Cool White (5500-6300 k)	45 LM
G013033	PC	Bule	8 LM
G013034	PC+S. S. 304	Cool White (5500-6300 k)	45 LM
G013035	PC+S. S. 304	Bule	8 LM


LED CEILING LIGHT



Working Voltage: 12 VDC Mount Type: Surface mount . Wattage : 1 W.
IBA MI t bo7 3 Œ -+ / T+ Mo l qb`qf l k Do^ab 7 FM 34

P/N	Material	Color & Color Temperature	Effective Lumen
G012071	PC+S. S. 304	Cool White (5500-6300 k)	95 LM
G012072	PC+S. S. 304	Bule	13 LM


LED CEILING LIGHT



Working Voltage: 12 VDC . Wattage: 1 W. Mount Type: Flush mount
FM O^qfkd7 FM33+ IBA MI t b07 3 Ö -+ / T +

P/N	Material	Color & Color Temperature	Effective Lumen
G012041C	PC	Cool White (5500-6300 k)	75 LM
G012041	PC	Warm White (2900-3200 k)	8 LM
G012042	PC	Blue	75 LM
G012044C	PC+ Stainless Steel	Cool White (5500-6300 k)	75 LM
G012044	PC+ Stainless Steel	Warm White (2900-3200 k)	75 LM
G012045	PC+ Stainless Steel	Blue	15 LM


LED CEILING LIGHT



Working Voltage: 12 VDC Mount Type: Surface mount .
T ^qq^db 7 0:3 T + IBA /502 1 / - Ö -+ / T

P/N	Housing Material	Color & Color Temperature	Effective Lumen	Lens
G012013	Brass	White (5500-6300 k)	260 LM	3 inch
G012023	S. S. 304	White (5500-6300 k)	272 LM	3 inch
G012024	Brass	White (5500-6300 k)	260 LM	4 inch
G012014	S. S. 304	White (5500-6300 k)	272 LM	4 inch
G012024WR30	S. S. 304	Red / White (5500-6300 k)	272 LM	4 inch
G012033	Brass	White (5500-6300 k)	268 LM	5 inch
G012034	S. S. 304	White (5500-6300 k)	268 LM	5 inch


LED CEILING LIGHT



Working Voltage: 8-30 VDC Mount Type: Surface mount .
Wattage : 3.1 W. LED "2835" : 20 PCS

P/N	Housing Material	Color & Color Temperature	Effective Lumen	Lens
G012025	S. S. 304	White (5500-6300k)	98 LM	4 inch


LED CEILING LIGHT



Working Voltage: 12 VDC Mount Type: Surface mount .
Wattage : 4.4 W. LED "2835" : 24 PCS.

P/N	Housing Material	Color & Color Temperature	Effective Lumen	Lens
G012052	PC	Warm White (2900-3200 k)	328 LM	4 inch


LED CEILING LIGHT



T l o h f k d S l i q ^ d b 7 . - * 0 - S A @ + T ^ q q ^ d b 7 3 T + J l r k q Q v m b 7 P r o c ^ ` b j l r k q I B A 7 1 / Ö - + / T +

P/N	Housing Material	Color & Color Temperature	Effective Lumen	Lens
G012008	PC	Warm White (2900-3200 k)	390 LM	4 inch


LED CEILING LIGHT



T l o h f k d S l i q ^ d b 7 5 * 0 - S A @ J l r k q Q v m b 7 P r o c ^ ` b j l r k q + T ^ q q ^ d b 7 0 T + I B A 7 . Ö 0 T

P/N	Housing Material	Color & Color Temperature	Effective Lumen
G018001	Stainless Steel	RGBW (White 5500-6300k)	White:83 LM Red:32 LM Green:74 LM Blue:17 LM

LED CEILING LIGHT



Working Voltage: 8-30 VDC Mount Type: Surface mount . Wattage : 3 W. LED : 1 × 3 W

P/N	Housing Material	Color & Color Temperature	Effective Lumen
G012001	Stainless Steel	White (5500–6300k)	110 LM

LED STRIP LIGHT 12VDC




Working Voltage: 12 VDC Mount Type: Surface mount . Wattage : 3 W. . LED "5050" : 18 PCS

P/N	Housing Material	Color & Color Temperature	IP Rating	Length
G014052	Aluminum	Warm White (2900–3200 k)	IP 67	300 mm

130


LED STRIP LIGHT 12VDC



Working Voltage: 12 VDC . Wattage: 1 W. Housing Material:PC
Mount Type: Flush mount IP Rating : IP 67.

P/N	Color & Color Temperature	LED "2835"	Effective Lumen	Wattage
G014031	White (5500–6300 k)	6 × 0.2 W	73 LM	1.2 W
G014032	Bule	6 × 0.2 W	12 LM	1.2 W
G014033	Bule	15 × 0.2 W	55 LM	3 W
G014034	White (5500–6300 k)	15 × 0.2 W	202 LM	3 W


LED STRIP LIGHT 12 VDC



Working Voltage: 12 VDC . Wattage: 1 W. Housing Material:PC
Mount Type: Surface mount IP Rating : IP 67 .

P/N	Color & Color Temperature	LED "2835"	Effective Lumen	Wattage
G014041	White (5500-6300 k)	6 × 0.2 W	73 LM	1.2 W
G014042	Bule	6 × 0.2 W	12 LM	1.2 W
G014043	Bule	15 × 0.2 W	55 LM	3 W
G014044	White (5500-6300 k)	15 × 0.2 W	231 LM	3 W


LED READING LIGHT 12 VDC



Working Voltage: 12 VDC Mount Type: Surface mount .
Wattage : 3.1 W. Housing Material:Stainless Steel

P/N	Color & Color Temperature	LED "2835"	Effective Lumen
G015001	Warm White (2900-3200 k)	16 PCS	102 LM
G015002	Warm White (2900-3200 k)	16 PCS	102 LM


LED BRASS READING LIGHT 12VDC



Working Voltage: 12 VDC Mount Type: Surface mount . Wattage : 0.5 W. LED "5050" : 18 PCS.

P/N	Housing Material	Color & Color Temperature	LED"Φ5"	Effective Lumen
G015011	Brass Lacquered	Warm White (2900-3200 k)	12 PCS	26 LM

LED SPOT LIGHT




High quality LEDs for maximum light output and energy efficiency.
Perfect beams of light to eliminate dark spot. Extremely bright.

Effective Wattage: 27W Housing Material:PC Working Voltage: 10-30 VDC. LED Wattage: 60 W
Mount Type: Surface mount . Rotation: 355° & E 70° 50M distance RF remote control IP Rating: Ip65

P/N	Color & Color Temperature	LED	Effective Lumen	Viewig Angle
G016001	White (5500-6300 k)	12 × 5 W	1600 LM	8°

LED SPOT LIGHT 8-30 VDC




High quality LEDs for maximum light output and energy efficiency.
Perfect beams of light to eliminate dark spot. Extremely bright.

Working Voltage: 10-30 VDC. LED Wattage: 45 W Effective Wattage: 21 W Housing Material:PC
Mount Type: Surface mount . Rotation: 355° & E 70° 50M distance RF remote control IP Rating: IP65

P/N	Color & Color Temperature	LED	Effective Lumen	Viewig Angle
G016002	White (5500-6300 k)	9 × 5 W	1600 LM	8°


LED DECK LIGHT 10-30 VDC



LG High quality LEDs for maximum light output and energy efficiency.
Working Voltage: 10-30 VDC IP Rating: IP68
LED Wattage: 18 W. Mount Type: Bracket mount
Effective Wattage: 14 W. Housing Material:Aluminum

P/N	Color & Color Temperature	LED	Effective Lumen	Viewig Angle
G013001	White (5500-6300 k)	"2835" 6 × 3 W	1003 LM	40°

LED CARAVAN LIGHT 10-30 VDC



LED Wattage: 6 W. Effective Wattage: 3.3 W. Voltage: 10-30VDC IP Rating: IP67

P/N	Housing Material	Color & Color Temperature	Effective Lumen
G021001	Aluminum	White (6300 k)	30 X 0.2 W

SURFACE MOUNT HULL LIGHT



LED Wattage: 5 W. Voltage: 12 VDC IP:66 Bezel : 316 Stainless Steel UV resistant. Illumination 300 Candela Surface mount

P/N	Color Temperature	Dims. (L x Wx H)
GM-EP-L 0743 (pair)	6300 k	190x114x35mm

MASTHEAD ALL-ROUND WHITE LIGHT



Made of 304 Stainless Steel and spare bulb fixed mount 360 degree clear lens

P/N	Description	Size	Color
G090000	12V, 8W	1-1/2"H*2-5/16"D	White



LED REPLACE BULB

LED Wattage: 6.6 W. Effective Wattage: 2.5 W.
Voltage: 10-24VDC Size: Overall length 50mm Material:PC+Ceramic

P/N	Color&Color Temperature	LED	Type
G001174-NWH	White (4500 k)	33 PCS X 0.2	WBA15D parallel double contacts

REMOVABLE LED ALL-ROUND STERN LIGHT

Made of CastingBase and Stainless Steel
Tubing. Wattage: 8 W. Voltage: 12 VDC

P/N	Length
G120200	9"



LED NAVIGATION LIGHT

Made of 304 Stainless Steel

P/N	Description	Color
G100101	1.2w, 8-30v	Red
G100102	1.2w, 8-30v	Green



LED NAVIGATION LIGHT 12-24VDC

Made of Nylon

P/N	Color
G100103	White
G100104	Black



NAVIGATION LIGHT BI-COLOUR



Made of 304 stainless steel

P/N	Width	Length	Bulb
G060100	2-1/2"	3-1/4"	12V 8W
G060200	2-1/2"	3-1/4"	LED

LED SPOT LIGHT



Made of cast aluminum
8 super LED's maximum illumination 12V 8W

P/N	Width	Length
G070100	4-1/3"	4"

135

50W LED SEARCHLIGHT WITH REMOTE CONTROL



P/N	Color
G020090B	Black
G020090W	White

LED FISHING LIGHT



P/N	Color
G300101	White
G300102	Green
G300103	Bule

ELECTRICAL ACCESSORIES

MINI COMPACT HORN

Made of 304 Stainless Steel

P/N	Model	Volt	Diameter
I160100	Twin	12V 4A	3-1/4"
I160200	Single	12V 2A	3-1/4"



BATTERY SWITCH

Made of plastic. Cranking Current: 1250 Amps 12VDC
Screw Bolt Diameter :10mm.
Continuous Current: 200 Amps .
If voltage is 24V, the Amp will reduce 50%.

P/N	Voltage (VDC)	Operation	Size (mm)
I230201S	12V-48V	ON / OFF	68 x 68 x 76



136

BATTERY SWITCH

Made of plastic. Cranking Current: 1250 Amps 12VDC
Continuous Current: 200 Amps .
Screw Bolt Diameter :10mm.
If voltage is 24V, the Amp will reduce 50%.

P/N	Voltage (VDC)	Operation	Size (mm)
I230300	12V-48V	ON / OFF	69 x 69 x 80



BATTERY SWITCH

Made of plastic. Cranking Current: 1250 Amps 12VDC
Continuous Current: 200 Amps .
Screw Bolt Diameter :10mm.
If voltage is 24V, the Amp will reduce 50%.

P/N	Voltage (VDC)	Operation	Size (mm)
I230400	12V-48V	ON / OFF	69 x 69 x 75



BATTERY SWITCH



Made of Zinc alloy plated brass.
Cranking Current: 500 A
Continuous Current: 125 A.
Weight :93 g Inside Diameter : 17 mm
If voltage is 24V, the Amp will reduce 50%.

P/N	Voltage (VDC)	Cable Size	Size (mm)
I2320025	12V-24V	4-6AWG	85 x 36

BATTERY SWITCH




Made of Zinc alloy plated brass.
Cranking Current: 500 A
Continuous Current: 125 A.
Weight :120 g Inside Diameter : 17 mm
If voltage is 24V, the Amp will reduce 50%.

P/N	Voltage (VDC)	Cable Size	Size (mm)
I232036	12V-24V	4-6AWG	86 x 36

137

BATTERY SWITCH



Made of Zinc alloy plated brass.
Cranking Current: 500 A
Continuous Current: 125 A.
Weight :35 g Inside Diameter : 17 mm
If voltage is 24V, the Amp will reduce 50%.

P/N	Voltage (VDC)	Cable Size	Size (mm)
I232024	12V-24V	4-6AWG	20 x 63

KNIFE-BLADE SWITCH



Made of Pure copper. Intermittent Current: 700 A
Continuous Current: 200 A. Weight : 210 g
If voltage is 24V, the Amp will reduce 50%.

P/N	Voltage (VDC)	Cable Size	Size (mm)
I233001	12V-24V	4-6AWG	78 x 93

BATTERY SWITCH

Made of plastic. Cranking Current: 1250 Amps
Continuous Current: 250 Amps .
Screw Bolt Diameter :10mm.
If voltage is 24V, the Amp will reduce 50%.

P/N	Voltage (VDC)	Operation	Size (mm)
I230701S	12V-48V	1-2-both-off	68 x 68 x 76



BATTERY SWITCH

Made of plastic. Cranking Current: 2500 Amps
Continuous Current: 500 Amps .
Screw Bolt Diameter :12mm.
If voltage is 24V, the Amp will reduce 50%.

P/N	Voltage (VDC)	Operation	Size (mm)
I230720	12V-48V	ON / OFF	100 x 100 x 85




138

BATTERY SWITCH

Made of Zinc alloy plated brass.
Cranking Current: 500 A
Continuous Current: 125 A. Weight : 155 g
If voltage is 24V, the Amp will reduce 50%.

P/N	Voltage (VDC)	Cable Size	Size (mm)
I232027	12V-24V	4-6AWG	100 x 25



BATTERY SWITCH

Made of Zinc alloy plated brass.
Cranking Current: 500 A
Continuous Current: 125 A. Weight : 118 g
If voltage is 24V, the Amp will reduce 50%.

P/N	Voltage (VDC)	Cable Size	Size (mm)
I232028	12V-24V	4-6AWG	60x32x16.5



BATTERY SWITCH



Made of Copper. Intermittent Current: 1000 A
Continuous Current: 350 A. Weight : 650 g
If voltage is 24V, the Amp will reduce 50%.

P/N	Voltage (VDC)	Operation	Size (mm)
I230804	12V-24V	ON / OFF	94 X 145

BATTERY TERMINALS



Clamp type wing nut terminal made of lead alloy,
Brass plated wing nuts.
3/8" positive stud and 5/16" negative stud

P/N I010100

139

BATTERY TERMINALS



Clamp type wing nut terminal made of lead alloy
P/N I010101

BATTERY DISCONNECT SWITCH



Poly housing is rust and corrosion proof.
Key and cover prevent corrosion.

P/N	Mount	Stud	Description
I230200	2 Holes	M8	100A Continuous
I230100	4 Holes	M8	100A Continuous
I230110A	4 Holes	M10	100A Continuous
I230101			Key Only

KNIFE-BLADE SWITCH

Made of Pure Copper. Intermittent Current : 700 A
Continuous Current: 200 A. Weight : 229 g
If voltage is 24V, the Amp will reduce 50%.

P/N	Voltage (VDC)	Cable Size	Size (mm)
I233002	12V-24V	4-6AWG	92 x 68 x 48



BATTERY SWITCH

Made of Copper. Cranking Current: 350 A
Intermittent Current: 1000 A. Weight : 240 g
If voltage is 24V, the Amp will reduce 50%.

P/N	Voltage (VDC)	Operation	Size (mm)
I230803	12V-24V	ON / OFF	75 x 105



140

BATTERY SWITCH

Made of Plastic Intermittent Current: 200 A
Continuous Current: 100 A. Weight : 50 g
If voltage is 24V, the Amp will reduce 50%.

P/N	Voltage (VDC)	Operation	Size (mm)
I230029	12V-24V	ON / OFF	43 x 65



BATTERY SWITCH

Made of Copper. Intermittent Current: 200 A
Continuous Current: 100 A. Weight : 50 g
If voltage is 24V, the Amp will reduce 50%.

P/N	Voltage (VDC)	Operation	Size (mm)
I230805	12V-24V	ON / OFF	43 x 65



TERMINAL BLOCK



Made of Bakelite and Brass

P/N	Base size	Gang
I030100	3"*1-1/2"	4
I030200	4-1/2"*1-1/2"	6

FUSE BLOCK



Made of Bakelite and Brass

P/N	Base size	Gang
I040402	1-1/2"*2-3/4"	2
I040504	3"*2-3/4"	4
I040606	4-1/2"*2-3/4"	6

141

PUSH PULL SWITCH



5A,2Position ON-OFF,chromed brass

P/N	Mounting holes	Shaft length
I090100	5/16"	1/4"
I090200	5/16"	7/8"

TOGGLE SWITCH



16A,3 Position ON-OFF-ON

P/N	Length	width	Description
I090300	0.78"	1.4"	Red lighted switch(12V)
I090400	0.78"	1.4"	Without lighting


BATTERY TERMINAL

Made of Bakelite and Brass			
P/N	Length	Width	Height
I100100	2-1/2"	1-3/4"	1"



FUSE & TERMINAL BLOCK

Made of Bakelite and Brass		
P/N	Base size	Gang
I010110	3-1/4"*3"	4
I010200	3-1/4"*4-1/2"	6
I010300	3-1/4"*6"	8



142

TERMINAL BLOCK

P/N	Base size	Dimension	Gang
I020100	5-3/4"*1-1/4	w/Nickel Plated Steel Bolts	10
I020200	5-3/4"*1-1/4	n w/Brass Bolts	10



12 V SWITCH PANEL



Black coated aluminum panel Complete .
Weatherproof With 5A glass
fuses and indicator lights.

P/N	Length	Width	Positions
I110100	4"	4"	3
I110200	5"	4"	4
I110300	6-3/4"	4"	6

12V CIGARETTE LIGHTER w/light



Made of 304 Stainless Steel
RVS. Compleet met verlichting
plug, aansteker en kabels.

P/N	I120100
-----	---------

143

INLINE-BLOWER



Inline-blower 12v 4.5A
@^m^`fqv 6-*. / - j ā,e+

P/N	Diameter	Length
I140100	3"	5"

INLINE-BLOWER



Inline-blower 12v 4.5A
@^m^`fqv / -4 j ā,e+

P/N	Diameter	Length
I190100	3"	8-3/8"

TOGGLE SWITCH

10A,2 Position ON-OFF

P/N	Length	width
I130100	1.15"	0.62"



DUAL POWER OUTLET

Converts 12 volt cigarette lighter socket
to dual power outlet.
LED light indicates power. Fuse included


P/N	I020110
-----	---------



12 V SWITCH PANEL

Black coated aluminum panel
Complete with 5A Gas fuses.
Lighted switches and function
legends printed on adhesives.

P/N	Length	Width	Positions
I050104	5"	4-1/2"	4
I050306	6-1/2"	4-1/2"	6



12 V SWITCH PANEL

Black coated aluminum panel Complete.
Lighted switches and function
legends printed on adhesives.

P/N	Length	Width	Positions
I050404	5"	4-1/2"	4
I050206	6-1/2"	4-1/2"	6



WATERPROOF MARINE SPEAKER



Waterproof two-way speakers ,
available 60 or 100 watt, Set of two.

P/N	Diameter	Install depth	Model	Bore	Color
I150100	6"	2"	60W	4-3/4"	White
I150101	6"	2"	60W	4-3/4"	Black
I150200	7"	2-1/2"	100W	6"	White

WATERPROOF MARINE SPEAKER



Waterproof two-way speakers, set of two

P/N	Diameter	Depth	Model	Color
I156013W	180mmx65mm	61.5mm	100W	White
I156013B	180mmx65mm	61.5mm	100W	Black

145

ELECTRO- MAGNETIC BOAT HORN--SINGLE



Made of 316 Stainless Steel

P/N	Diameter	Length	Height	Volt
I220201	120mm	400mm	127mm	12V
I220401	120mm	400mm	127mm	24V

ELECTRO- MAGNETIC BOAT HORN--DUAL



Made of 316 Stainless Steel

P/N	Diameter	Length	Height	Volt
I220102	120mm	470mm	127mm	12V
I220402	120mm	470mm	127mm	24V


ROCKER SWITCH

P/N	Size	LED	Foot pin
I080111	ON-OFF-ON	NO LED	6P
I080112	ON-OFF-ON	Dual LED	7P
I080113	ON-OFF	NO LED	2P
I080114	ON-OFF	Single LED	3P
I080115	ON-OFF-ON	Single LED	4P
I080116	ON-OFF	NO LED	2P
I080117	ON-OFF-ON	NO LED	3P
I080118	ON-OFF-ON	NO LED	6P



T-BLOCK BATTERY TERMINAL BLOCK

P/N	spec
I020100	10 Screw
I020300	20 Screw



WEICHAI WATER PUMP

P/N
I340100



ELECTRIC INFLATOR

Made of Electrical Part and ABS Plastic

P/N	Amps	Volt	Power	Frequency
I170100	6A	220-230V	1200W	50-60HZ



MISCELLANEOUS

EYE STRAPS



Made of 304/ Stainless Steel

P/N	Rod.	Length	Height
J010100	3/16"	2"	1/2"
J010200	3/16"	2"	11/16"
J010300	1/4"	2"	7/8"
J010400	5/16"	2"	15/16"

BOAT HOOK HOLDER



Made of 304 Stainless Steel

P/N	Length	Hook Dia
J130100	4"	1"

147

SPRING CLAMP HOLDER



Made of 304 stainless steel

P/N	Size
K110158	5/8" - 1"
K110234	1" - 1 - 3/4"

RING BUOY HOLDER

Made of 304 Stainless Steel

P/N	Length	Hook Dia
J140100	7"	4"



WIND-PROOF ASHTRAY

Made of 304 Stainless Steel
non-slip bean bag

P/N	Dia	Color
J150100	4-1/2"	Blue
J150200	4-1/2"	Red



EMERGENCY PLUGS

148

Made of Wood

P/N	Size	Set
J170106	φ 2"*φ 1.5"	2pcs
	φ 1.5"*φ 1.1"	1pcs
	φ 1.1"*φ 0.75"	1pcs
	φ 0.85"*φ 0.5"	2pcs



EMERGENCY PLUGS

Made of Wood

P/N	Size	Set
J180140	φ 1.57"*φ 1.97"	3pcs
	φ 1.14"*φ 1.54"	3pcs
	φ 0.75"*φ 1.14"	3pcs



EMERGENCY PLUGS



Made of Wood

P/N	Size	Set
J190135	φ 1.37" * φ 1"	1pcs
	φ 1.18" * φ 0.7"	2pcs
	φ 0.86" * φ 0.55"	2pcs
	φ 0.62" * φ 0.27"	2pcs
	φ 0.37" * φ 0.17"	2pcs

EMERGENCY PLUGS



Made of Wood

P/N	Size	Set
J200138	φ 1.5" * φ 1.1"	1pcs
	φ 1.3" * φ 0.87"	1pcs
	φ 1.1" * φ 0.71"	1pcs
	φ 0.87" * φ 0.55"	2pcs
	φ 0.58" * φ 0.25"	1pcs
	φ 0.58" * φ 0.31"	2pcs
	φ 0.43" * φ 0.16"	2pcs

149

SPLICING SPIKE



Made of 304 Stainless Steel & Wood

P/N	Thk	Width	Length
J210110	1"	13/16"	6-11/16"
J210215	1.5"	1-1/4"	11"
J210320	2"	1-7/8"	15-3/8"

TILLER ROPE PULLEY



Made of 304 Stainless Steel & Nylon

P/N	Rope Size	Wheel Dia.
J220104	1/4"	2-5/16"

FENDER LOCK EYE

Made of 316 Stainless Steel

P/N	Base	Eye
J400100	φ 1-9/16"	3/5"



FENDER HOOK

Made of 316 Stainless Steel

P/N	Base	Eye	Height
J420100	1-1/3" * 1-1/8"	2/5"	7/8"



SNAP HOOK

Made of 316 Stainless Steel

P/N	Base	Height
J410100	1-5/8" * 1-1/8"	1-1/3"




150

FOLDING STEP

Made of 316 Stainless Steel

P/N	A	B	C	D
J430100	4.5"	5"	4"	2"



SWIVEL WEBBING BUCKLE KIT FOR SUN TOP



Stainless Steel A316 Buckle, pad Eye,
Swivel Pin and Snap hook with 1"*90" nylon webbing.
Breaking load 400 kg

P/N J460100

WEBBING WITH BUCKLE



Stainless Steel A316 Buckle with 1"*90" nylon webbing.
Breaking load 400 kg

P/N J460200

151

STAINLESS STEEL FENDER EYE



Made of 316 Stainless Steel

P/N	A	B	C	Rope Dia.
J420200	33mm	29mm	21mm	10mm (Max)

MOORING ROPE--DOUBLE BRAIDED



Twisted Polypropylene Rope with Splice

P/N	Rope Dia.	Length	Color
S010180	8mm	2000mm	Black
S010280	8mm	2000mm	Blue
S010380	8mm	4500mm	Black
S010480	8mm	4500mm	Blue
S010510	10mm	4500mm	Black
S010610	10mm	4500mm	Blue
S010712	12mm	6500mm	Black
S010812	12mm	6500mm	Blue
S010914	14mm	10000mm	Black
S011014	14mm	10000mm	Blue

TRAILER WINCH WEBBING W/HOOK

Stainless steel 316 bolt and nut, nylon webbing.

P/N	Breaking Force	Rope Width	Length
J470245	2200kg	50mm	4500mm
J470260	2200kg	50mm	6000mm
J470275	2200kg	50mm	7500mm



ZINC PLATED TRAILER WINCH

Trailer winch: 1 speed with handle;
2 speed with removable handle

P/N	Pull	Speed
J480180	360kg	1
J480255	635kg	1
J480382	820kg	2



BATTERY BOX or FUEL TANK HOLD DOWN STRAP KIT

152

Stainless Steel A316 Buckle and Strap
Holder with 1"*90" nylon webbing.
Breaking load 400 kg

P/N J460300



ADJUSTABLE BELT W/ZINC ALLOY BUCKLE

Zinc alloy Buckle and Strap Holder with 1"*90"
nylon webbing. Breaking load 400 kg

P/N J460400



WEBBING WITH HOOK



Webbing with hook and Tie
Down Ratchet 20' x 2". 2000 kg

P/N J470100

SPRING LOADED CAM LATCH



Made of 316 Stainless Steel

P/N	Total Length	Width
J490100	3-1/5"	1"

POLE HOLDER RUBBER



Made of Rubber

P/N	Length	Width	Fits tubing
B230100	1-7/8"	2"	7/8"-1"

PREMIUM OUTRIGGING KIT



P/N Q020100

DOUBLE OUTRIGGER RIGGING KIT

P/N Q020200



Made of 304 Stainless Steel / Aluminum
Folding deck chair is made with a combination of quality, strength and comfort- for fishing or just relaxing in the cockpit
Stainless hardware Cushion Color: White
Safety catch prevents accidental folding UV resistant vinyl

P/N	TUBE MATERIAL
R010100	aluminum
R010200	304 stainless steel

FOLDING DECK CHAIR



Resilient foam cushions. Color: White
Safety catch to prevent accidental folding
Dimensions: 29" Height x 26"Width x 14" Depth
Upholstery Material: Vinyl

P/N	TUBE MATERIAL
R010300-WH	aluminum
R010400-WH	304 stainless steel

FOLDING DECK CHAIR



Resilient foam cushions.
Safety catch to prevent accidental folding
Dimensions: 29" Height x 26"Width x 14" Depth
Upholstery Material: Vinyl
Cushion Color: White+Blue

P/N	TUBE MATERIAL
R010300-BU	aluminum
R010400-BU	304 stainless steel

FOLDING DECK CHAIR



FOLDING DECK CHAIR



Resilient foam cushions.
Safety catch to prevent accidental folding
Dimensions: 29" Height x 26"Width x 14" Depth
Upholstery Material: Vinyl
Frame Material: Aluminum

P/N	Color
R010300-GY	White+Gray

CANVAS FOLDING CHAIR WITH CUP HOLDER



P/N	Material	Size	Color
R070100	aluminum	37 H X 28 W X 21 D	Navy
R080100	Stainless Steel	37 H X 28 W X 21 D	Navy
R070100W	aluminum	37 H X 28 W X 21 D	White

155

BOAT DECK CHAIR



P/N	Material	Color
R080100	aluminum	White
R080300	304 stainless steel	Navy

CANVAS FOLDING CHAIR



Made of Aluminum tube

P/N	Color
R020100	Navy
R020100W	White

OUTRIGGER CLIP STANDARD

P/N Q010100



COOLER CUSHION

P/N	Size
R030100	22.6"*13.3"*2.8"
R030200	22.6"*10.5"*2.8"
R030300	26.5"*10.5"*2.8"
R030400	31.3"*15.3"*2.8"
R030500	38.9"*16.5"*2.8"
R030600	39.4"*17.2"*2.8"



RUB STRAKE

156

Made of 316 Stainless Steel

P/N	Width	Length
M270100	3/4"	8"
M270200	3/4"	12"
M270300	3/4"	18"
M270400	3/4"	24"



RUB STRAKE

Made of 316 Stainless Steel

P/N	Width	Length
M280100	1"	8"
M280200	1"	12"
M280300	1"	18"
M280400	1"	24"



HOLLOW BACK RUBRAIL



Made of 316 Stainless Steel

P/N	Width	Length
M280500	3/4"	20'

RUB STRAKE



Made of 316 Stainless Steel

P/N	Width	Length
M290100	1"	12"

157

MOTOR CARRIERS



Made of Aluminum (Anodized)

P/N	Motors	Max. Weight
N250100	1-15hp	851b

JET BOARD TRAILER



Made of Aluminum tube

P/N	N260100
-----	---------

MOORING SNUBBER



Made of Rubber

P/N	Size	Rope φ
N320143	17"	1/4"-1/2"
N320249	19-1/3"	3/5"-3/4"

ALUMINUM OUTBOARD MOTOR BRACKET



Made of Aluminum

P/N	Hp Rating	Broad Size	Mounting size	Base M ' TL
S040100	7-1/2 To 20	8-1/4"*10-3/8"	5-1/4"*9"	Plastic
S040200	7-1/2 To 20	8-1/4"*10-3/8"	5-1/4"*9"	Wood

OUTBOARD MOTOR BRACKET


158



Made of Stamped 304 Stainless Steel

P/N	Hp Rating	Broad Size	Mounting size	Base M ' TL
S040100	7-1/2 To 20	8-1/4"*10-3/8"	5-1/4"*9"	Plastic
S040200	7-1/2 To 20	8-1/4"*10-3/8"	5-1/4"*9"	Wood

OUTBOARD MOTOR BRACKET



Made of Stamped 304 Stainless Steel

P/N	Hp Rating	Broad Size	Mounting size	Base M ' TL
S050100	To 20	8-1/4"*10-3/8"	8"*8-5/8"	Plastic
S050200	To 20	8-1/4"*10-3/8"	8"*8-5/8"	Wood

BEARING PROTECTORS WITH COVER



Triple chrome plated housing
All stainless steel internal

P/N	Size
N650100	1.98"

ACCESSORY SOCKET WITH BATTERY CLIP



Brass and plastic construction accessory
plug for use directly with the battery.
Accepts most cigarette lighter plugs 12V
Wire length can be according to the different
need not custom-made

P/N	Wire Length	Amps
I200100	12"	50
I200200	36"	50

159

SEAT SWIVEL



surface of the lacquer that bake

P/N	Length	Width	Height
N650200	6"	6"	7/8"
N650300	7"	7"	7/8"
N650400	8"	8"	7/8"

BAILER KIT



The bailer kit includes bailer scoop, 50ft rope and
float, LED torch and whistle. O-ring sealed lid to
waterproof whole container. Whistle consists of
signal mirror, compass and waterproof chamber
which can be for matches or keys.

P/N	S090100
-----	---------

GEAR BAG

Large capacity.
Made of heavy duty nylon .
Non-corrosive zippered top closure and
carrying handles. Keep contents dry and clean.

R040100	Rectangular	26"Lx12"Wx17"H
R040200	Square	20"Lx20"Wx12"H



FUEL TANK

Made of polyethylene

P/N	Dia.
H700112	12L
H700224	24L



PORTABLE CAMPING CHAIR

160

Made of high strength aluminum alloy frame.
Weights only 2 pounds and holds up to 250 pounds
Ripstop nylon seat is made of breathable 600D Oxford
clothSimple setup-foldable aluminum pole with shock-
cord structure enables quick set up and fold down.
Hook&Loop strap can hold the frame together easily

P/N	R010500
-----	---------



DREADLOCK SPONGE WASHING MITT

P/N	S900100
-----	---------



NON-ABRASIVE MICRO FIBRE AND INSECT SPONGE



P/N S900200

SPONGE



P/N S900300

FOLDING SEAT



Built-in storage pouch in the back of the seat.

P/N	Size	Color
R050100	38" H x 17" W x 2.5" D	NAVY/ BLACK
R050200	38" H x 17" W x 2.5" D	NAVY /WHITE
R050300	38" H x 17" W x 2.5" D	ROYAL BLUE/BLACK
R050400	38" H x 17" W x 2.5" D	WHITE/BLACK


REPLACEMENT CUSHION SET FOR DECK CHAIRS



P/N
R010100 - P
Cushion Set for Folding Deck Chairs

ELECTRICAL ACCESSORIES

NON-AUTOMATIC BILGE PUMPS 350/500/750GPH




Made of plastic, stainless steel shaft, anti-airlock protection, exclusive moisture tight seals. Freshwater and saltwater compatible. Head: 9'(3m) Wire Lead :3'(1m) N.W./G.W: 0.33/0.40kg

P/N	Flow Rate	Voltage	Max Draw	Fuse Amps	Outle Dia
BP12-G350-30-12	350GPH	12V	1.0A	2.0A	3/4"
BP12-G500-30-12	500GPH	12V	1.6A	3.0A	3/4"
BP12-G500-30-24	500GPH	24V	1.2A	2.0A	3/4"
BP12-G750-30-12	750GPH	12V	2.5A	5.0A	3/4"
BP12-G750-30-24	750GPH	24V	1.2A	2.0A	3/4"

NON-AUTOMATIC BILGE PUMPS 1100GPH

162




Made of plastic, stainless steel shaft, anti-airlock protection, exclusive moisture tight seals. Freshwater and saltwater compatible.

Head: 12'(4m) Wire Lead :3'(1m) N.W./G.W: 0.38/0.40kg

P/N	Flow Rate	Voltage	Max Draw	Fuse Amps	Outle Dia
BP12-G1100-40-12	1100GPH	12V	3.0A	5.0A	1-1/8"
BP12-G1100-40-24	1100GPH	24V	1.8A	3.0A	1-1/8"


NON-AUTOMATIC BILGE PUMPS 1500/2000GPH



Made of plastic, stainless steel shaft, anti-airlock protection, exclusive moisture tight seals. Freshwater and saltwater compatible. Wire Lead :3'(1m) Outle Dia: 1-1/8" N.W./G.W: 1.13/1.21kg

P/N	Flow Rate	Voltage	Max Draw	Fuse Amps	Head
BP12-G1500-50-12	1500GPH	12V	8.0A	12A	16' (5m)
BP12-G1500-50-24	1500GPH	24V	4.0A	7.0A	16' (5m)
BP12-G2000-60-12	2000GPH	12V	8.5A	14A	20' (6m)
BP12-G2000-60-24	2000GPH	24V	5.0A	8.0A	20' (6m)

NON-AUTOMATIC BILGE PUMPS 3000/3500GPH




163

Made of plastic, stainless steel shaft, anti-airlock protection, exclusive moisture tight seals. Freshwater and saltwater compatible. Head: 26'(8m) Wire Lead :3'(1m) N.W./G.W: 2.10/2.37kg

P/N	Flow Rate	Voltage	Max Draw	Fuse Amps	Outle Dia
BP12-G3000-80-12	3000GPH	12V	14A	20A	1-1/2"
BP12-G3000-80-24	3000GPH	24V	7.0A	12A	1-1/2"
BP12-G3500-80-12	3500GPH	12V	16A	25A	1-1/2"
BP12-G3500-80-24	3500GPH	24V	8.0A	15A	1-1/2"


BILGE PUMPS FLOAT SWITCHES 20AMP 12V/24V



Made of high quality ABS material, the internal metal contacts to ensure reliable start/ stop. Turn pump on when water level reaches 2" (51mm); Turn pump off when water level reaches 3/4" (19mm).

P/N	Voltage	Max Amps	Wire Lead	Wire Gauge Size
I240100	12V/24V/32V	20A	3'	1 8AWG


AUTOMATIC BILGE PUMPS 600/750GPH



Made of plastic,ignition protected and corrosion resistant stainless steel shaft.
Pump turns on at 50mm water level and turns off at 20mm water level.
Wire Lead :3'(1m) Outle Dia: 3/4" N.W./G.W: 0.47/0.52kg

P/N	Flow Rate	Voltage	Max Draw	Fuse Amps	Outle Dia
BP11-G600-25-12	600GPH	12V	2. 5A	4. 0A	8. 2' (2. 5m)
BP11-G600-25-24	600GPH	24V	1. 5A	3. 0A	8. 2' (2. 5m)
BP11-G750-30-12	750GPH	12V	3. 0A	5. 0A	9' (3. 0m)
BP11-G750-30-24	750GPH	24V	1. 6A	3. 0A	9' (3. 0m)



AUTOMATIC BILGE PUMPS 1100GPH



Made of plastic,ignition protected and corrosion resistant stainless steel shaft.
Pump turns on at 50mm water level and turns off at 20mm water level.
Wire Lead :3'(1m) Outle Dia: 1-1/8" N.W./G.W:0.47/0.52kg

P/N	Flow Rate	Voltage	Max Draw	Fuse Amps	Head
BP11-G1100-40-12	1100GPH	12V	3. 0A	5. 0A	13' (4m)
BP11-G1100-40-24	1100GPH	24V	1. 8A	3. 0A	13' (4m)

SHOWER SUMP PUMPS 600/750GPH



Made of plastic,ignition protected and corrosion resistant stainless steel shaft.
Pump turns on at 50mm water level and turns off at 20mm water level.
Wire Lead :3'(1m) Outle Dia: 1-1/8" N.W./G.W: 0.47/0.52kg

P/N	Flow Rate	Voltage	Max Draw	Fuse Amps	Outle Dia
BP13-G600-25-12	600GPH	12V	14A	20A	1-1/2"
BP13-G600-25-24	600GPH	24V	7. 0A	12A	1-1/2"
BP13-G750-30-12	750GPH	12V	16A	25A	1-1/2"
BP13-G750-30-24	750GPH	24V	8. 0A	15A	1-1/2"

FENDER



Made of high quality PVC

P/N	Size	Weight (g)
S004516	4.5" x 16"	500g
S015520	5.5" x 20"	850g
S026523	6.5" x 23"	1000g
S038527	8.5" x 27"	1800g
S041030	10" x 30"	2600g
S051639	15.8" x 38.6"	5500g

FENDER



Made of high quality PVC

P/N	Size	Weight (g)
S004516U	4.5" x 16"	500g
S015520U	5.5" x 20"	850g
S026523U	6.5" x 23"	1000g
S038527U	8.5" x 27"	1800g
S041030U	10" x 30"	2600g
S051639U	15.8" x 38.6"	5500g

165

FENDER



Made of high quality PVC

P/N	Size	Weight (g)
S066024U	6" x 24"	1000g

FENDER



Made of high quality PVC

P/N	Size	Weight (g)
S074018U	4" x 18.4"	600g

FENDER

Made of high quality PVC

P/N	Size	Weight (g)
S076015U	6" x 15"	1000g
S078020U	8" x 20"	1600g
S071028U	10" x 28"	3000g



FENDER

Made of high quality PVC

P/N	Size	Weight (g)
S251012R	9.8" x 12.2"	750g
S301114R	11.4" x 13.8"	1050g
S381518R	14.9" x 17.8"	2200g
S451820R	17.8" x 19.7"	2600g
S502022R	19.7" x 21.6"	3000g
S552224R	21.6" x 23.6"	3600g
S652628R	25.6" x 27.5"	4200g
S753032R	29.5" x 31.5"	4800g



FENDER

Made of high quality PVC

P/N	Size	Weight (g)
S081012B	9.8" x 12.2"	750g
S301114B	11.4" x 13.8"	1050g
S381518B	14.9" x 17.8"	2200g



LIFEBUOY

Made of Polyurethane foam

P/N	Size (cm)
S307244	72 x 44
S306035	60 x 35
S305027	50 x 27



LIFEROPE



Made of Polypropylene rope

P/N	Diameter (mm)	Length(m)
S010010	10	10
S010008	8	10
S010006	6	10

LIFEBUOY



Made of Polyurethane foam

P/N	Size(cm)
S407244	72 x 44
S406035	60 x 35
S405027	50 x 27

167

LIFEBUOY



Made of high quality density polyethylene (hdpe) is used as dense polyurethane closed-cell foam.

P/N	Size(cm)
S505229	51.5 x 28.5
S507144	71 x 44

LIFEBUOY



Made of Polyurethane foam

P/N	Size(cm)
S607244	72 x 44
S606035	60 x 35
S605027	50 x 27

LIFE JACKET

Inflatable Life Jacket Life Vest Basic
Automatic/Manual Can accept customized colors

P/N	Color
S700100R	Red
S700100Y	Yellow
S7001000	Blue
S700100B	Orange



SPORT LIFE JACKET

P/N	Color	Size
S700200R	Red	S:15-35KG
S700200Y	Yellow	M:35-60KG
S700200B	Blue	L:60-90KG
S7002000	Orange	XL:90-110KG
S700200G	Green	



LIFE JACKET

P/N	Color
S700300R	Red
S7003000	Orange



LIFE JACKET

P/N	Color
S700400R	Red
S7004000	Orange



LIFE JACKET



P/N
S700500R

Color
Red

COMPASS



Made of plastic

P/N
S200500B
S200500W

Color
Black
White

Net weight
68g
68g

169

COMPASS



Made of brass.

P/N
S200050

Net weight
45g

COMPASS



Made of plastic

P/N
S200288

Net weight
43. 5g

COMPASS

P/N	Color	Net weight
S200760B	Black	265g
S200761W	White	265g



COMPASS

P/N	Color	Net weight
S200038B	Black	49g
S200038W	White	49g



3 STRAND TWISTED NYLON ROPE

170

Made of Nylon	
P/N	Size
S020105	5mm*200M
S020106	6mm*200M
S020108	8mm*200M
S020109	9mm*200M
S020113	13mm*200M
S020116	16mm*200M
S020119	19mm*200M
S020125	25mm*200M
S020132	32mm*200M
S020138	38mm*200M
S020150	50mm*200M



DOUBLE BRAID NYLON ROPE



Made of Nylon

P/N	Size
S011001	6mm*200M
S011002	8mm*200M
S011003	9mm*200M
S011004	13mm*200M

FLOATING BLANKET



Made of XPE

P/N	Size
N200101	1.7M * 3.5M * 3CM

CHAIN FILTER WRENCH



P/N	Dia
Z010109	9"

GREASE GUN



P/N	Dia
Z010109	600cc

NAVIGATION LIGHT 12V/24V

Material:ABS plastic Angles:112.5°


P/N	Housing	Lens color	Size
G000701W-Bulb	White	Red	D:70*80MM
G000701B-Bulb	Black	Red	D:70*80MM
G000701W-LED	White	Red	D:70*80MM
G000701B-LED	Black	Red	D:70*80MM
G000702W-Bulb	White	Green	D:70*80MM
G000702B-Bulb	Black	Green	D:70*80MM
G000702W-LED	White	Green	D:70*80MM
G000702B-LED	Black	Green	D:70*80MM
G000901W-Bulb	White	Red	D:92*108MM
G000901B-Bulb	Black	Red	D:92*108MM
G000901W-LED	White	Red	D:92*108MM
G000901B-LED	Black	Red	D:92*108MM
G000902W-Bulb	White	Green	D:92*108MM
G000902B-Bulb	Black	Green	D:92*108MM
G000902W-LED	White	Green	D:92*108MM
G000902B-LED	Black	Green	D:92*108MM



ALL ROUND LIGHT 12V/24V

Material:ABS plastic Angles:360°

P/N	Housing	Lens color	Size
G000705W-Bulb	White	Red	D:70*80MM
G000705B-Bulb	Black	Red	D:70*80MM
G000705W-LED	White	Red	D:70*80MM
G000705B-LED	Black	Red	D:70*80MM
G000706W-Bulb	White	Green	D:70*80MM
G000706B-Bulb	Black	Green	D:70*80MM
G000706W-LED	White	Green	D:70*80MM
G000706B-LED	Black	Green	D:70*80MM
G000905W-Bulb	White	Red	D:92*108MM
G000905B-Bulb	Black	Red	D:92*108MM
G000905W-LED	White	Red	D:92*108MM
G000905B-LED	Black	Red	D:92*108MM
G000906W-Bulb	White	Green	D:92*108MM
G000906B-Bulb	Black	Green	D:92*108MM
G000906W-LED	White	Green	D:92*108MM
G000906B-LED	Black	Green	D:92*108MM
G000707W-Bulb	White	Transparent	D:70*80MM
G000707B-Bulb	Black	Transparent	D:70*80MM
G000707W-LED	White	Transparent	D:70*80MM
G000707B-LED	Black	Transparent	D:70*80MM
G000907W-Bulb	White	Transparent	D:92*108MM
G000907B-Bulb	Black	Transparent	D:92*108MM
G000907W-LED	White	Transparent	D:92*108MM
G000907B-LED	Black	Transparent	D:92*108MM



MASTERHEAD LIGHT 12V/24V



Material:ABS plastic

P/N	Housing	Lens color	Angles	Size
G000703W-Bulb	White	Transparent	225°	D:70*80MM
G000703B-Bulb	Black	Transparent	225°	D:70*80MM
G000703W-LED	White	Transparent	225°	D:70*80MM
G000703B-LED	Black	Transparent	225°	D:70*80MM
G000903W-Bulb	White	Transparent	225°	D:92*108MM
G000903B-Bulb	Black	Transparent	225°	D:92*108MM
G000903W-LED	White	Transparent	225°	D:92*108MM
G000903B-LED	Black	Transparent	225°	D:92*108MM

STERN LIGHT 12V/24V



Material:ABS plastic

P/N	Housing	Lens color	Angles	Size
G000704W-Bulb	White	Transparent	135°	D:70*80MM
G000704B-Bulb	Black	Transparent	135°	D:70*80MM
G000704W-LED	White	Transparent	135°	D:70*80MM
G000704B-LED	Black	Transparent	135°	D:70*80MM
G000904W-Bulb	White	Transparent	135°	D:92*108MM
G000904B-Bulb	Black	Transparent	135°	D:92*108MM
G000904W-LED	White	Transparent	135°	D:92*108MM
G000904B-LED	Black	Transparent	135°	D:92*108MM

NAVIGATION LIGHT 12V/24V



Material:ABS plastic

P/N	Housing	Lens color	Angles	Size
G000841-Bulb	Grey	Red	112. 5°	D:123*146mm
G000841-LED	Grey	Red	112. 5°	D:123*146mm
G000842-Bulb	Grey	Green	112. 5°	D:123*146mm
G000842-LED	Grey	Green	112. 5°	D:123*146mm

ALL ROUND LIGHT 12V/24V

Material:ABS plastic

P/N	Housing	Lens color	Angles	Size
G000845-Bulb	Grey	Red	360°	D:123*146mm
G000845-LED	Grey	Red	360°	D:123*146mm
G000846-Bulb	Grey	Green	360°	D:123*146mm
G000846-LED	Grey	Green	360°	D:123*146mm
G000848-Bulb	Grey	Transparent	360°	D:123*146mm
G000848-LED	Grey	Transparent	360°	D:123*146mm



MASTERHEAD/STERN LIGHT 12V/24V

Material:ABS plastic Size:D:123*146mm Housing:Grey

P/N	Description	Lens color	Angles
G000843-Bulb	Masterhead Light	Transparent	225°
G000843-LED	Stern Light	Transparent	225°
G000844-Bulb	Masterhead Light	Transparent	135°
G000844-LED	Stern Light	Transparent	135°



LED NAVIGATION LIGHT 12V/24V

Material:ABS plastic,Housing:White

P/N	Description	Lens color	Angles	Size
G008610	port light	Red	112. 5°	D:100*75mm
G008611	starboard light	Green	112. 5°	D:100*75mm
G008618	Red all round light	Red	360°	D:100*75mm
G008620	Green all round light	Green	360°	D:100*75mm
G008622	White all round light	White	360°	D:100*75mm



LED MASTERHEAD/STERN LIGHT 12V/24V



Material:ABS plastic Size:D:100*75mm

P/N	Description	Housing	Lens color	Angles
G008614	Masthead light	White	Transparent	225°
G008616	Stern light	White	Transparent	135°

NAVIGATION LIGHT 12V/24V



Material:ABS plastic +SS304

P/N	Description	Lens color	Angles	Size
G000801-LED	port light	Red	112.5°	D90*92MM
G000802-LED	starboard light	Green	112.5°	D90*92MM
G000803-LED	All round light	Transparent	360°	D90*92MM
G000801-Bulb	port light	Red	112.5°	D90*92MM
G000802-Bulb	starboard light	Green	112.5°	D90*92MM
G000803-Bulb	All round light	Transparent	360°	D90*92MM

NAVIGATION LIGHT 12V/24V



Material:ABS plastic

P/N	Housing	Lens color	Size
G000708W-Bulb	White	Green	135*60*47mm
G000708B-Bulb	Black	Green	135*60*47mm
G000709W-LED	White	Red	135*60*47mm
G000709B-LED	Black	Red	135*60*47mm


SIGNAL LIGHTS 12V/24V




Base:BAY15d IP56 CABLE OD:10-12mm Weight:0.53KG

P/N	Description	Angels	Lens color	Bulb
GCXH1-3P	Starboard light	112.5°	Green	12V/15W 24V/15W
GCXH2-3P	Port light	112.5°	Red	
GCXH3-3P	Masthead light	225°	Transparent	
GCXH4-3P-T	Transparent Stern light	135°	Transparent	12V/25W 24V/25W
GCXH4-3P-Y	Yellow Stern light	135°	Yellow	
GCXH6-3P-R	Red all round light	360°	Red	
GCXH6-3P-G	Green all round light	360°	Green	24V/25W
GCXH6-3P-W	White all round light	360°	White	

176



DOUBLE SIGNAL LIGHT



Lamp holder:B15d,Cable O.D:8mm Weight:2.3KG IP56

P/N	Description	Angels	Lens color	Bulb
GCXH1-20S	Double deck starboard light	112.5°	Green	24V/2*30W
GCXH2-20S	Double deck port light	112.5°	Red	24V/2*30W
GCXH3-20S	Double deck masthead light	225°	Transparent	24V/2*30W
GCXH4-20S-T	Double deck stern light	135°	Transparent	24V/2*30W
GCXH6-20S-Y	Double deck all round light	135°	Yellow	24V/2*30W
GCXH6-20S-R	Double Deck Red all round light	360°	Red	24V/2*30W
GCXH6-20S-G	Double Deck Green all round light	360°	Green	24V/2*30W
GCXH6-20S-W	Double Deck White all round light	360°	White	24V/2*30W

NAVIGATION LIGHT 12V/24V



Material:ABS plastic

P/N	Housing	Lens color	Size
G711712W-Bulb	White	Red/Green (Pair)	89*57*36mm
G711712W-LED	White	Red/Green (Pair)	89*57*36mm
G711712B-Bulb	Black	Red/Green (Pair)	89*57*36mm
G711712B-LED	Black	Red/Green (Pair)	89*57*36mm

NON-AUTOMATIC BILGE SUBMERSIBLE PUMPS



Standard Accessory:1pc elbow adaptor, 1pc snap joint,
2pcs alligator clips,Unit Weight:1.1KGS,Speed:5400rpm,

P/N	Voltage	Current	Power	Head	Flow rate
BP14-G1100-40-12	12V dc	5.4A	0.07HP (51W)	4m	1100GPH
BP14-G1100-40-24	24V dc	3.8A	0.07HP (51W)	4m	1100GPH

NON-AUTOMATIC BILGE SUBMERSIBLE PUMPS



P/N	Voltage	Current	Head	Wire	Outlet Dia
BP15-G1000-40-12	12v dc	5.0A	4m	130cm	25.4mm
BP15-G1000-40-24	24v dc	3.0A	4m	130cm	25.4mm

178


MICRO DC DIAPHRAGM PUMPS



Self-priming to 4'(1.5m). CE Approved.Santoprene Diaphragm.
3/8" Barb.EPDM Valves.Capable of supplying 1-2 fixtures 3/8"(10mm).
Diaphragm designs allows dry runing.Thermal overload protection.
Dual diaphragm quiet operation.

P/N	Voltage	Open Flow (GPG/LPG)	Control Type	Max Draw	shut-off pressure (PSI/BAR)
DP21-G10-40-12	12V	1.0/3.8	Swith	4.0A	40/2.8
DP21-G10-40-24	24V	1.0/3.8	Swith	2.0A	40/2.8
DP21-G11-70-12	12V	1.1/4.0	Swith	4.0A	70/4.8
DP21-G12-35-12	12V	1.2/4.3	Swith	4.0A	35/2.4
DP21-G12-35-24	24V	1.2/4.3	Swith	2.0A	35/2.4

MICRO DC DIAPHRAGM PUMPS



2 Chamber Diaphragm

Port Size:3/8" (9.5mm) Hose barb / 1/2" (12.5mm) BSPT Male Thread
Check Valve:EPDM or Vtion Self-Priming:4.8 feet(1.5M) suction

P/N	Voltage	Max Flow Lpm(gpm)	Max Pressure Psi(Bar)	Amps (A)
foyo3202	12Vdc	5.1 (1.34)	80 (5.5)	4.8
foyo3402	24Vdc	5.1 (1.34)	80 (5.5)	2.8
foyo3203	12Vdc	5.1 (1.34)	100 (7.0)	5.0
foyo3403	24Vdc	5.1 (1.34)	100 (7.0)	3.0
foyo3206	12Vdc	6.0 (1.58)	60 (4.1)	6.0

HIGH FLOW RATE DIAPHRAGM PUMPS



Adjustable pressure switch from 20psi --60psi for OEM needed
Quick attach connections with 360° multiple fittings allow easy connect to any outlet
Built-in thermal Protector Rubber feet for noise reduction from vibration
4 Chamber Diaphragm Port Size:3/4 " (19mm)Quick attach
Connector:1pc 3/4" Male Thread,1pc 1/2" hose barb,
1pcs elbow 1/2" hose barb,1pc 1/2" hose barb filter Check Valve:EPDM or Vtion
Self-Priming:6.5 feet(2M) suction Life

P/N	Voltage	Max Flow Lpm(gpm)	Max Pressure Psi(Bar)	Amps (A)	Packing Size (mm)	N.W/G.W
FL-30	12v dc	10.0 (2.6)	17 (1.17)	2.2	250* 125*100mm	1.9/2.3kgs
FL-31	24v dc	10.0 (2.6)	17 (1.17)	1.5	250* 125*100mm	1.9/2.3kgs
FL-35	12v dc	12.5 (3.3)	35 (2.41)	7.0	250* 125*100mm	1.9/2.3kgs
FL-34	24v dc	12.5 (3.3)	35 (2.41)	4.0	250*125* 100mm	1.9/2.3kgs
FL-40	12v dc	17.0 (4.5)	40 (2.76)	9.2	280* 125*100mm	2.7/2.9kgs
FL-60	12v dc	17.0 (4.5)	60 (4.13)	13.2	280*125* 100mm	2.7/2.9kgs
FL-44	24v dc	17.0 (4.5)	40 (2.76)	5.6	280* 125*100mm	2.7/2.9kgs
FL-33	115v ac	12.5 (3.3)	35 (2.41)	0.8	380*125* 100mm	3.0/3.2kgs
FL-32	220v ac	12.5 (3.3)	35 (2.41)	0.4	380* 125*100mm	3.0/3.2kgs
FL-41	115v ac	17.0 (4.5)	40 (2.76)	1.5	380*125* 100mm	3.0/3.2kgs
FL-43	220v ac	17.0 (4.5)	40 (2.76)	0.8	380* 125*100mm	3.0/3.2kgs

HIGH PRESSURE DIAPHRAGM PUMPS



Pump design:3 Chamber Diaphragm Port Size:3/8" Female Thread
Connector:2pcs 3/8" hose barb , 2pcs 1/4" male thread
Check Valve:EPDM or Vtion Self-Priming:6.5 feet(2M) suction Life

P/N	Voltage	Max Flow Lpm(gpm)	Max Pressure Psi(Bar)	Amps (A)	Packing Size (mm)	N.W/G.W
DP-60	12v dc	4.6(1.2)	60(4.1)	7.0	190*110*105mm	1.9/2.1kgs
DP-60B	24v dc	4.6(1.2)	60(4.1)	4.0	190*110*105mm	1.9/2.1kgs
DP-80	12v dc	5.5(1.5)	80(5.5)	8.0	210*110*105mm	2.6/2.7kgs
DP-100	12v dc	5.5(1.5)	100(7.0)	9.0	210*110*105mm	2.6/2.7kgs
DP-120	12v dc	5.5(1.5)	120(8.3)	9.5	210*110*105mm	2.6/2.7kgs
DP-120B	24v dc	5.5(1.5)	120(8.3)	4.5	210*110*105mm	2.6/2.7kgs
DP-160	12v dc	5.5(1.5)	160(11.0)	10.5	210*110*105mm	2.6/2.7kgs
DP-160B	24v dc	5.5(1.5)	160(11.0)	4.2	210*110*105mm	2.6/2.7kgs
DP-100M	220v ac	5.5(1.5)	100(7.0)	0.6	250*110*105mm	3.1/3.3kgs
DP-120M	220v ac	5.5(1.5)	120(8.3)	0.5	250*110*105mm	3.1/3.3kgs
DP-160M	220v ac	5.5(1.5)	160(11.0)	0.6	250*110*105mm	3.1/3.3kgs
DP-160S	115v ac	5.5(1.5)	160(11.0)	1.0	250*110*105mm	3.1/3.3kgs

WASHDOWN PUMPS KIT



Pump design:5 Chamber Diaphragm Valves:EPDM
Diaphragm:Santoprene Ports:3/4" quick attach
wire connections:2-pin/leads Self-priming up to 6'(1.8M)
Quick disconnect fittings Low power consumption
Quiet operation&smooth flow Allow short time dry running

P/N	Voltage	Open Flow (GPG/LPG)	Control Type	Max Draw	shut-off pressure (PSI/BAR)
WP51-G50-70-12	12V	5.0/18.9	Swith	18A	70/4.8
WP51-G50-70-24	24V	5.0/18.9	Swith	9.0A	70/4.8

IMPELLER PUMPS



application:Engine cooling pump/ bilge pump/ Deck washdown pump

* Should be installed in a dry and ventilated position

* Must not run dry, it is better to work with a bilge control panel to avoid running dry

Seamless shell Design Impeller 3.1" (80mm)

1/2" FNPT(12.5mm) thread fitting with 1/2" hose barb

Thermally protected, high quality efficient motor

P/N	Voltage	Max Flow Lpm(gpm)	Max Head (M)	Amps (A)	Max Draw (A)
foyo-32-12	12Vdc	30LPM	3M	8. 0A	10. 0A
foyo-32-24	24Vdc	30PLM	3M	5. 0A	7. 0A

12/24V DC SEWAGE PUMPS

181



This sewage pump is designed specifically for sanitation waste and fish box evacuations. This high-powered pump incorporates our high quality motor with a new seamless shell and splash proof design. The Macerator features a premium impeller design and includes o-ring sealed end bells to withstand the harsh marine environment. The pump runs with superior performance while delivering up to 13GPM (49.20LPM).

Power available in both 12VDC and 24VDC.

P/N	Voltage	Max Flow Lpm(gpm)	Max Pressure Psi(Bar)	Amps (A)	Max Draw (A)
FL-65A	12Vdc	49. 2	No	10. 0	2. 35/2. 6
FL-65B	24Vdc	49. 2	No	5. 0	2. 35/2. 6



CONTACT US

 +1-502-228-8881

www.bestqualitymarine.com